

VDE INSULATION TOOLS



Authorised Channel Partner



USTOOL



USTOOL LLC

450, Pomfret Road, Hamp-
ton, Connecticut – 06247

2019

Company Introduction

USTool LLC is located in the great State of Connecticut in the United States, historically renowned for its manufacturing and quality. We provide our customers with reliable tools for their most challenging problems.

"Quality is our essence; we personally take pride in each tool that we sell and want to know if our customers ever face any problem with any of our products."

Professional Tools with Accuracy and Precision



OUR GLOBAL CUSTOMERS



VDE 1000V Insulated Tools





Dielectric Strength Test

Individual immersion test at 10,000 volt guarantee safety working up to 1000 volts



Low-temperature Impact Test

When the tools are cooled down to -40°C, Proceed the insulated part with impact test. The insulated must retain the tough against breaking.



High-temperature Adhesive Power Test

After storage for 168 hours at 70°C, pull the insulated part with tensile force of 500Nm for 3 minutes. This test ensure that the insulation still stays firm and remain snug against the tool body.



Burning Behaviour Test

insulated tools use flame -resistant plastics for insulation to protect users

USTool insulated VDE series come with high visibility molded ergonomic cushion handles for maximum comfort to ensure full force transfer through the grip. They also have been tested for dielectric strength under 10,000 Volt in a water bath in accordance with DIN EN 609009 (IEC 60900:2012) to encourage the user to trust a reliable insulation when live working up to 1000Volt.

VDE tools are often used under extreme conditions, such as very low and very high temperature. Our tools insulation VDE series are made from high grade materials, which have been tested by low-temperature impact test, high-temperature adhesive power test and burning test to offer more safety to users.



1000V
IEC 60900




Precautions:

- * Please keep your insulated tools dry and clean.
- * Wear protective goggles and gloves when working.
- * Do not touch the non-insulated parts while working live.


INSULATED TOOLS

UST-1102 Insulated Wire Stripping Plier



| Material | HRC | Application | | OAL. (mm) |
|-----------|--------|--|------------|-----------|
| | Body | Hard steel | Soft steel | |
| AISI-6150 | 46°±4° | Adjustable to accept conductors up to 10mm² overall diameter | | 160 |

UST-1104 Insulated Combinaton Plier



| Material | HRC | Application | | OAL. (mm) |
|-----------|--------|-------------|------------|-----------|
| | Body | Hard steel | Soft steel | |
| AISI-6150 | 46°±4° | ø2.5mm | ø3.8mm | 195 |

UST-1106 Insulated Combination Plier



| Material | HRC | Application | | OAL. (mm) |
|-----------|--------|-------------|------------|-----------|
| | Body | Hard steel | Soft steel | |
| AISI-6150 | 46°±4° | ø2.0mm | ø3.1mm | 175 |

UST-1108 Insulated Heavy Duty Side Pliers



| Material | HRC | Application | | OAL. (mm) |
|-----------|--------|-------------|------------|-----------|
| | Body | Hard steel | Soft steel | |
| AISI-6150 | 46°±4° | ø2.7mm | ø3.8mm | 190 |

UST-1110 Insulated Side Cutter



| Material | HRC | Application | | OAL. (mm) |
|-----------|--------|-------------|------------|-----------|
| | Body | Hard steel | Soft steel | |
| AISI-6150 | 46°±4° | ø2.0mm | ø2.8mm | 165 |

UST-1112 Insulated Long Nose Plier



| Material | HRC | Application | | OAL. (mm) |
|-----------|--------|-------------|------------|-----------|
| | Body | Hard steel | Soft steel | |
| AISI-6150 | 46°±4° | ø2.2mm | ø3.2mm | 200 |

UST-1114 Insulated Long Nose Plier



| Material | HRC | Application | | OAL. (mm) |
|-----------|--------|-------------|------------|-----------|
| | Body | Hard steel | Soft steel | |
| AISI-6150 | 46°±4° | ø1.6mm | ø2.5mm | 170 |

UST-V122 Series

VDE 1000V Insulated Cable Knife



- Stainless steel, oil-hardened.
- Suitable for round cable and sector cables.
- Including protective cap for safe storage.



UST-V122A
Straight
Blade Type



UST-V122B
Hook
Blade Type



UST-V122C
Sickle
Blade Type


| Model No. | Material | HRC | Blade lenth (mm) | Radius (mm) | OAL (mm) |
|-----------|----------|---------|------------------|-------------|----------|
| UST-V122A | 3Cr13 | 50°~58° | 54 | - | 186 |
| UST-V122B | | | 33 | 7 | 170 |
| UST-V122C | | | 55 | 40 | 186 |

UST-1200 Series

Insulated VDE Screwdrivers / NUT Driver



•The insulation of the handle is molded directly onto the blade for Permanent Bonding.



| Model No. | Specification | Blade length (mm) | Individual Packing (mm) |
|---------------|---------------|-------------------|-------------------------|
| UST-1200-S2.5 | ⊖ 0.4x2.5 | 75 | Blister card |
| UST-1200-S3.0 | ⊖ 0.5x3.0 | 100 | |
| UST-1200-S4.0 | ⊖ 0.8x4.0 | 100 | |
| UST-1200-S5.5 | ⊖ 1.0x5.5 | 125 | |
| UST-1200-S6.5 | ⊖ 1.2x6.5 | 150 | |
| UST-1200-S8.0 | ⊖ 1.2x8.0 | 175 | |
| UST-1200-P0 | ⊕ #0 | 60 | |
| UST-1200-P1 | ⊕ #1 | 80 | |
| UST-1200-P2 | ⊕ #2 | 100 | |
| UST-1200-P3 | ⊕ #3 | 150 | |
| UST-1200-Z0 | ⊛ PZ0 | 60 | |
| UST-1200-Z1 | ⊛ PZ1 | 80 | |
| UST-1200-Z2 | ⊛ PZ2 | 100 | |
| UST-1200-Z3 | ⊛ PZ3 | 150 | |




| Model No. | Specification | Blade length (mm) | Individual Packing (mm) |
|---------------|---------------|-------------------|-------------------------|
| UST-1200-M4.0 | ⊙ 4x2 | 125 | Blister card |
| UST-1200-M5.0 | ⊙ 5x25 | 125 | |
| UST-1200-M5.5 | ⊙ 5.5x25 | 125 | |
| UST-1200-M6.0 | ⊙ 6x25 | 125 | |
| UST-1200-M7.0 | ⊙ 7x25 | 125 | |
| UST-1200-M8.0 | ⊙ 8x25 | 125 | |
| UST-1200-M9.0 | ⊙ 9x25 | 125 | |
| UST-1200-M10 | ⊙ 10x25 | 125 | |
| UST-1200-M11 | ⊙ 11x25 | 245 | |
| UST-1200-M12 | ⊙ 12x25 | 245 | |
| UST-1200-M13 | ⊙ 13x25 | 245 | |

UST-V4 Series

VDE 1000V Insulated Single Open End Wrench



- 15° angled jaw.
- Chrome vanadium steel, forged, oil-hardened.




| Model No. | Material | (A) Width across flats mm | (B) Head thickness Max. mm | (C) Head thickness Max. mm | (L) OAL ±2mm | Individual Packing |
|-----------|----------|---------------------------|----------------------------|----------------------------|--------------|--------------------|
| UST-V406 | 50CrV | 6 | 23 | 7.2 | 90 | Blister card |
| UST-V407 | | 7 | 25 | 7.2 | 90 | |
| UST-V408 | | 8 | 27 | 7.7 | 100 | |
| UST-V409 | | 9 | 29 | 7.7 | 100 | |
| UST-V410 | | 10 | 31 | 8.2 | 110 | |
| UST-V411 | | 11 | 34 | 8.7 | 110 | |
| UST-V412 | | 12 | 36 | 8.7 | 130 | |
| UST-V413 | | 13 | 39 | 10.5 | 135 | |
| UST-V414 | | 14 | 40 | 10.5 | 145 | |
| UST-V415 | | 15 | 42 | 11.5 | 150 | |
| UST-V416 | | 16 | 43 | 11.5 | 160 | |
| UST-V417 | | 17 | 47 | 12.5 | 160 | |
| UST-V418 | | 18 | 50 | 13.0 | 175 | |
| UST-V419 | | 19 | 53 | 14.0 | 175 | |
| UST-V421 | | 21 | 55 | 14.0 | 195 | |
| UST-V422 | | 22 | 58 | 14.0 | 195 | |
| UST-V424 | | 24 | 62 | 16.5 | 225 | |
| UST-V427 | | 27 | 69 | 18.0 | 250 | |
| UST-V430 | | 30 | 75 | 19.0 | 290 | |
| UST-V432 | | 32 | 79 | 20.0 | 310 | |

UST-V5 Series

VDE 1000V Insulated Single Box End Wrench



- Chrome vanadium steel, forged, oil-hardened.
- Cranked.




| Model No. | Material | (A) Width across flats mm | (B) Head thickness Max. mm | (C) Head thickness Max. mm | (D) Depth of crank mm | (L) OAL ±2 mm | Individual Packing |
|-----------|----------|---------------------------|----------------------------|----------------------------|-----------------------|---------------|--------------------|
| UST-V506 | 50CrV | 6 | 16.0 | 6.8 | 25 | 150 | Blister card |
| UST-V507 | | 7 | 18.0 | 7.0 | 25 | 150 | |
| UST-V508 | | 8 | 19.0 | 7.4 | 27 | 155 | |
| UST-V509 | | 9 | 20.0 | 8.3 | 27 | 155 | |
| UST-V510 | | 10 | 21.0 | 8.8 | 30 | 170 | |
| UST-V511 | | 11 | 22.5 | 8.9 | 30 | 170 | |
| UST-V512 | | 12 | 22.5 | 9.8 | 32 | 190 | |
| UST-V513 | | 13 | 26.5 | 10.0 | 32 | 190 | |
| UST-V514 | | 14 | 28.5 | 11.0 | 34 | 205 | |
| UST-V515 | | 15 | 29.0 | 11.1 | 34 | 205 | |
| UST-V516 | | 16 | 31.0 | 11.5 | 36 | 215 | |
| UST-V517 | | 17 | 32.0 | 12.3 | 36 | 215 | |
| UST-V518 | | 18 | 35.0 | 12.7 | 37 | 230 | |
| UST-V519 | | 19 | 36.0 | 13.2 | 37 | 230 | |
| UST-V521 | | 21 | 39.0 | 13.9 | 41 | 245 | |
| UST-V522 | | 22 | 41.0 | 13.9 | 41 | 245 | |
| UST-V524 | | 24 | 44.0 | 16.0 | 42 | 265 | |
| UST-V527 | | 27 | 48.0 | 16.4 | 42 | 290 | |
| UST-V530 | | 30 | 52.0 | 16.8 | 45 | 310 | |
| ZUST-V532 | | 32 | 55.0 | 17.5 | 45 | 310 | |

UST-1515

15 PCS 1000V Insulated Single Open End Wrench Set



- Content: 15pcs. single open end wrenches 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 19, 22, 24mm.
- Made of chrome Vanadium Steel
- With 600D tool roll bag.
- Complete set for power plant, HVAC, automotive, military, aircraft field application and more
- Bag Size: 305x635 mm.



Individual packing: Color Sleeve

UST-1525

15 PCS 1000V Insulated Single Box End Wrench Set



- Contents: 15pcs. single open end wrenches 8, 9, 10, 11, 12, 13, 14, 15, 17, 19, 22, 24, 27, 30, 32mm.
- Made of Chrome Vanadium Steel.
- With 600D tool roll bag.
- Ideal for power plant, HVAC, automobile, military, aircraft field application.
- Bag Size: 330x780.



Individual packing: Color Sleeve

UST-V258 VDE 1000V Insulated UST-V260 Reverse Flat Ratchet Handle



- Reversible for clockwise and anti-clockwise directions.
- Extremely smooth action.
- Quick, easy and reliable locking of attached sockets.
- Chrome vanadium steel, forged, oil-hardened.



| Model No. | Material | | Square drive | Teeth | OAL (mm) | Individual packintg |
|-----------|-----------|--------------|--------------|-------|----------|---------------------|
| | Body | Square drive | | | | |
| UST-V258 | AISI 6140 | 42CrMo | 3/8" | 36 | 200 | Blister card |
| UST-V260 | | | 1/2" | 36 | 250 | |

UST-V7 Series VDE 1000V Insulated 3/8" Drive Socket



- 3/8" Square drive
- For metric hexagonal head screws.
- Chrome Vanadium Steel



| Model No. | Material | Width across flats mm | Outside diameter Max. mm | Length mm | Individual packintg |
|-----------|----------|-----------------------|--------------------------|-----------|---------------------|
| UST-V708 | 50BV30 | 8 | 15.1 | 28.0 | Blister card |
| UST-V710 | | 10 | 18.7 | 28.0 | |
| UST-V711 | | 11 | 20.0 | 28.0 | |
| UST-V712 | | 12 | 21.2 | 28.0 | |
| UST-V713 | | 13 | 22.5 | 28.0 | |
| UST-V714 | | 14 | 23.7 | 28.0 | |
| UST-V716 | | 16 | 26.2 | 28.0 | |
| UST-V717 | | 17 | 27.5 | 28.0 | |
| UST-V718 | | 18 | 28.7 | 28.0 | |
| UST-V719 | | 19 | 30.0 | 30.0 | |
| UST-V721 | | 21 | 32.5 | 30.0 | |
| UST-V722 | | 22 | 33.7 | 30.0 | |

UST-V352 VDE 1000V Insulated UST-V362 T Handle



- Quick, easy and reliable locking of attached sockets.
- Chrome vanadium steel, forged, oil-hardened.



| Model No. | Material | Square drive | Handle length (mm) | Drive length (mm) | Individual packintg |
|-----------|----------|--------------|--------------------|-------------------|---------------------|
| UST-V352 | 50BV30 | 3/8" | 160 | 200 | Blister card |
| UST-V362 | | 1/2" | 160 | 200 | |

UST-V6 Series VDE 1000V Insulated Extension Bar



- With internal and external square.
- Quick, easy and reliable locking of attached sockets.
- Chrome Vanadium steel, forged.



| Model No. | Material | Square drive | OAL (mm) | Individual packintg |
|-----------|----------|--------------|----------|---------------------|
| UST-V611 | 50BV30 | 3/8" | 125 | Blister card |
| UST-V612 | | 3/8" | 250 | |
| UST-V621 | | 1/2" | 125 | |
| UST-V622 | | 1/2" | 250 | |

UST-V8 Series VDE 1000V Insulated 1/2" Drive Socket



- 1/2" Square Drive.
- For metric hexagonal head screws.
- Chrome Vanadium Steel.



| Model No. | Material | Width across flats mm | Outside diameter Max. mm | Length mm | Individual packintg |
|-----------|----------|-----------------------|--------------------------|-----------|---------------------|
| UST-V810 | 50BV30 | 10 | 19.5 | 38.0 | Blister card |
| UST-V811 | | 11 | 20.7 | 38.0 | |
| UST-V812 | | 12 | 22.0 | 38.0 | |
| UST-V813 | | 13 | 23.2 | 38.0 | |
| UST-V814 | | 14 | 24.5 | 38.0 | |
| UST-V816 | | 16 | 27.0 | 38.0 | |
| UST-V817 | | 17 | 28.2 | 38.0 | |
| UST-V818 | | 18 | 29.5 | 38.0 | |
| UST-V819 | | 19 | 30.7 | 38.0 | |
| UST-V821 | | 21 | 33.2 | 38.0 | |
| UST-V824 | | 24 | 34.5 | 38.0 | |
| UST-V827 | | 27 | 38.8 | 42.0 | |
| UST-V830 | | 30 | 42.8 | 42.0 | |
| UST-V832 | | 32 | 44.8 | 42.0 | |

UST-V2 Series

VDE 1000V Insulated Adjustable Wrench



- Parallel smooth gripping jaw.
- With scaling for easy presetting.
- Chrome Vanadium Steel, forged, oli-hardened.




| Model No. | Material | Jaw depth (mm) | Jaw open (mm) | Jaw thickness (mm) | OAL(mm) | Individual packing |
|-----------|----------|----------------|---------------|--------------------|---------|--------------------|
| UST-V208 | 50CrV | 25 | 30 | 12~8 | 200 | Blister card |
| UST-V210 | | 30 | 34 | 14~9 | 250 | |
| UST-V212 | | 36 | 41 | 17~11 | 300 | |

UST-V3 Series

VDE 1000V Insulated Hex Key Wrench



- Metric insulated Hex L-keys.
- S2 alloy Steel, forged, oli-hardened.



| Model No. | Material | Tip size (mm) | S±2 mm | L±2 mm | Individual packing |
|-----------|----------|---------------|--------|--------|--------------------|
| UST-V303 | S2 | 3 | 25.0 | 130 | Blister card |
| UST-V304 | | 4 | 40.0 | 140 | |
| UST-V305 | | 5 | 45.5 | 160 | |
| UST-V306 | | 6 | 47.0 | 180 | |
| UST-V308 | | 8 | 50.5 | 200 | |
| UST-V310 | | 10 | 52.0 | 235 | |
| UST-V312 | | 12 | 60.0 | 260 | |

UST-V112 Series

VDE 1000V Insulated Tweezers



- Stainless steel with magnetic.



TZ-V112A Sharp tip
Gripping surface with matt finished for optimum grip.



TZ-V112B Curved tip
Gripping surface with fine transverse serration.



TZ-V112C Round tip
Gripping surface with fine transverse serration.



TZ-V112D Wide tip
Gripping surface with fine transverse serration.

| Model No. | Material | HRC | Width (mm) | OAL (mm) | Individual packing |
|-----------|----------|---------|------------|----------|--------------------|
| UST-V112A | AISI 304 | 50°~58° | 15.6 | 134 | Blister card |
| UST-V112B | | | 13.0 | 159 | |
| UST-V112C | | | 13.0 | 160 | |
| UST-V112D | | | 15.0 | 145 | |

UST-1516

1000V Insulated Roll Tool Set



| Content | Individual packing |
|---|--------------------|
| UST-1104 Insulated Combination plier (195mm) | Blister packing |
| UST-1110 Insulated side cutter (165mm) | |
| UST-1102 Insulated wire stripping plier (160mm) | |
| UST-1112 Insulated long nose plier (200mm) | |
| UST-V150C Insulated cable cutter 150mm (22 mm²) | |
| UST-V410 Insulated single open end wrench 10mm | |
| UST-V413 Insulated single open end wrench 13mm | |
| UST-V414 Insulated single open end wrench 14mm | |
| UST-V417 Insulated single open end wrench 17mm | |
| UST-V419 Insulated single open end wrench 19mm | |
| UST-1200-S2.5 Insulated screwdriver (-2.5x75) | |
| UST-1200-S4.0 Insulated screwdriver (-4.0x100) | |
| UST-1200-S5.5 Insulated screwdriver (-5.5x125) | |
| UST-1200-S6.5 Insulated screwdriver (-6.5x150) | |
| UST-V122A Insulated straight blade cable knife 50x180mm | |
| UST-B516 Tool roll bag | |



UST-V150C
UST-V250C

VDE 1000V Insulated Cable Cutter



- Precision ground, hardened blades.
- Chrome molybdenum alloy steel, forged, oil-hardened.




UST-V240C

VDE 1000V Insulated Ratchet Cable Cutter



- Precision ground, hardened blades.
- High-grade carbon, forged, oil-hardened.
- Clean and smooth cutting without crushing and deformation.



Ratchet drive for easier cutting

INSULATED TOOLS

| Model no. | Material | HRC | | Application for cutting copper and alluminium cables. | | | OAL (mm) |
|-----------|----------|---------|--------------|---|----------------------|-----|----------|
| | | Body | Cutting edge | Diameter | Cross-sectional area | AWG | |
| UST-V150C | Cr.Mo | 43°±3° | 50°±2° | Φ5.2 mm | 22mm ² | 4 | 150 |
| UST-V250C | Cr.Mo | 43°±3° | 50°±2° | Φ10.0 mm | 80mm ² | 3/0 | 250 |
| UST-V240C | 65Mn | 38°~43° | 48°~52° | Φ32 mm | 240mm ² | 500 | 240 |

UST-V160

VDE 1000V Insulat Electricians Scissors



- Dual Color, non-slip, insulated engonomic handle for maximum comfort.
- Stainless Steel, Oil-hardened.



| Material | HRC | Blade length | OAL | Individual packing |
|------------|---------|--------------|-------|--------------------|
| AISI 420J2 | 48°~52° | 47mm | 160mm | Blister packing |

UST-1508E

Insulated Screwdrivers Set



- Blade material: AISI 8660 Cr-Mo-V steel.



| Content | |
|-------------------------------|-------------|
| ⊖ | 0.4x2.5x85 |
| ⊖ | 0.8x4.0x100 |
| ⊖ | 1.0x5.5x125 |
| ⊖ | 1.2x6.5x150 |
| + | #0x75 |
| + | #1x100 |
| + | #2x100 |
| Individual packing: Color box | |

UST-1509 1000V Insulated Screwdriver & Plier Set



| Content | |
|--------------------|---|
| UST-1200-S2.5 | ⊖ Insulated screwdriver (0.4x2.5x75mm) |
| UST-1200-S3.0 | ⊖ Insulated screwdriver (0.5x3.0x100mm) |
| UST-1200-S5.5 | ⊖ Insulated screwdriver (1.0x5.5x125mm) |
| UST-1200-P1 | ⊕ Insulated screwdriver (PH1x80mm) |
| UST-1200-P2 | ⊕ Insulated screwdriver (PH2x100mm) |
| UST-1102 | Insulated wire stripping plier (160mm) |
| UST-1110 | Insulated Side cutter (165mm) |
| UST-1114 | Insulated long nose plier (170mm) |
| UST-B509 | Tool bag (255x172.5x55mm) |
| Individual packing | Inner box & color label shrink |



UST-1511 1000V Insulated Plier & Screwdriver Set



| Content | |
|--------------------|---|
| UST-1200-S2.5 | ⊖ Insulated screwdriver (0.4x2.5x75mm) |
| UST-1200-S4.0 | ⊖ Insulated screwdriver (0.8x4.0x100mm) |
| UST-1200-S5.0 | ⊖ Insulated screwdriver (1.0x5.5x125mm) |
| UST-1200-S6.5 | ⊖ Insulated screwdriver (1.2x6.5x150mm) |
| UST-1200-P0 | ⊕ Insulated screwdriver (PH0x60mm) |
| UST-1200-P1 | ⊕ Insulated screwdriver (PH1x80mm) |
| UST-1200-P2 | ⊕ Insulated screwdriver (PH2x100mm) |
| UST-1104 | Insulated combination plier (195mm) |
| UST-1110 | Insulated Side cutter (165mm) |
| UST-1114 | Insulated long nose plier (200mm) |
| UST-1112 | Insulated long nose plier (170mm) |
| UST-B511 | Zipper carrying bag (294x240x50mm) |
| Individual packing | Inner box & Color label shrink |



UST-1526 1000V Insulated Metric Tool kit



- UST-1526 Tool kit is equipped with a range of 26pcs. 1000V insulated single open end wrenches, screwdrivers, pliers and cutter, T-Handle and 1/2 sockets in a durable tool box. ideal for power plant, HVAC, automotive, military, aircraft field applications and more.

| Content | |
|--------------------|--|
| UST-1104 | Insulated combination plier (195mm) |
| UST-1110 | Insulated side cutter (165mm) |
| UST-V410 | Insulated single open end wrench 10mm |
| UST-V411 | Insulated single open end wrench 11mm |
| UST-V412 | Insulated single open end wrench 12mm |
| UST-V413 | Insulated single open end wrench 13mm |
| UST-V414 | Insulated single open end wrench 14mm |
| UST-V417 | Insulated single open end wrench 17mm |
| UST-V419 | Insulated single open end wrench 19mm |
| UST-1200-S2.5 | ⊖ Insulated screwdriver (-2.5x75) |
| UST-1200-S3.0 | ⊖ Insulated screwdriver (-3.0x100) |
| UST-1200-S4.0 | ⊖ Insulated screwdriver (-4.0x100) |
| UST-1200-S5.5 | ⊖ Insulated screwdriver (-5.5x125) |
| UST-1200-P0 | ⊕ Insulated screwdriver (#0x60) |
| UST-1200-P1 | ⊕ Insulated screwdriver (#1x80) |
| UST-1200-P2 | ⊕ Insulated screwdriver (#2x100) |
| UST-V362 | Insulated 1/2" drive T handle 200mm |
| UST-V810 | Insulated 1/2" drive socket 10mm |
| UST-V811 | Insulated 1/2" drive socket 11mm |
| UST-V812 | Insulated 1/2" drive socket 12mm |
| UST-V813 | Insulated 1/2" drive socket 13mm |
| UST-V814 | Insulated 1/2" drive socket 14mm |
| UST-V817 | Insulated 1/2" drive socket 17mm |
| UST-V819 | Insulated 1/2" drive socket 19mm |
| UST-V122A | Insulated straight blade cable knife 50x180mm |
| UST-V122B | Insulated straight hook blade cable knife 28x155mm |
| UST-390 | Plastic tool box (390x350x90mm) |
| Individual packing | color sleeve |



UST-1541 1000V Insulated Metric Tool Kit



UST-1541 tool kits equipped with a range of 41pcs 1000V insulated single open end wrenches, single box end wrenches, adjustable wrenches, screwdrivers, knife pliers and cutters, T handle, 1/2" sockets and type in a durable, aluminum frame tool case. Ideal for power plant, HAVC, automotive, military, aircraft field applications and more.

| Contents | |
|--------------------|--|
| UST-1140 | Insulated Combination plier (195mm) |
| UST-1110 | Insulated side Cutter (165mm) |
| UST-1102 | Insulated wire stripping plier (160mm) |
| UST-V250C | Insulated cable cutter 250mm (80mm ²) |
| UST-V410 | Insulated single open end wrench 10mm |
| UST-V413 | Insulated single open end wrench 13mm |
| UST-V414 | Insulated single open end wrench 14mm |
| UST-V417 | Insulated single open end wrench 17mm |
| UST-V419 | Insulated single open end wrench 19mm |
| UST-V422 | Insulated single open end wrench 22mm |
| UST-V510 | Insulated single box end wrench 10mm |
| UST-V513 | Insulated single box end wrench 13mm |
| UST-V514 | Insulated single box end wrench 14mm |
| UST-V517 | Insulated single box end wrench 17mm |
| UST-V519 | Insulated single box end wrench 19mm |
| UST-V522 | Insulated single box end wrench 22mm |
| UST-1200-S2.5 | ⊖ Insulated screwdriver(-2.5x75) |
| UST-1200-S4.0 | ⊖ Insulated screwdriver(-4.0x100) |
| UST-1200-S5.5 | ⊖ Insulated screwdriver(-5.5x125) |
| UST-1200-S6.5 | ⊖ Insulated screwdriver(-6.5x150) |
| UST-1200-P1 | ⊕ Insulated screwdriver(-1x80) |
| UST-1200-P2 | ⊕ Insulated screwdriver(-2x100) |
| UST-V362 | Insulated 1/2" drive T handle 200mm |
| UST-V260 | Insulated 1/2" drive reverse flat ratchet handle 250mm |
| UST-V621 | Insulated 1/2" drive extension bar 125mm |
| UST-V622 | Insulated 1/2" drive extension bar 250mm |
| UST-V810 | Insulated 1/2" drive socket 10mm |
| UST-V811 | Insulated 1/2" drive socket 11mm |
| UST-V813 | Insulated 1/2" drive socket 13mm |
| UST-V814 | Insulated 1/2" drive socket 14mm |
| UST-V816 | Insulated 1/2" drive socket 16mm |
| UST-V817 | Insulated 1/2" drive socket 17mm |
| UST-V818 | Insulated 1/2" drive socket 18mm |
| UST-V819 | Insulated 1/2" drive socket 19mm |
| UST-V822 | Insulated 1/2" drive socket 22mm |
| UST-V824 | Insulated 1/2" drive socket 24mm |
| UST-V122A | Insulated straight blade cable knife 50x180mm |
| UST-V160 | Insulated electricians scissors 160mm |
| UST-V210 | Insulated 10" adjustable wrench |
| UST-274 | Expert & Elegant aluminum frame tool case (486x325x1596) |
| Individual packing | Plain bob + color label |





OUR CATEGORIES

- Test Instruments
- Precision Pliers & Cutters
- Electrical Pliers & Cutters
- Knives & Scissors
- Crimpers
- Strippers
- Soldering & Desoldering
- Punch Down Tools
- Precision Tweezers
- Hex Key Wrenches
- VDE 1000V Insulation Tools
- ESD Static Protection
- Instrument Cases
- Magnifier & Lamp
- Power Tools
- Solar Tools
- Fiber Optics
- Tool Cases
- Screwdrivers
- Socket Wrenches
- GFCI
- Non-Sparking
- Ladder
- Tool Kits
- Duct Rodder
- Miscellaneous



Authorized Channel Partners



CHENNAI

Address:- Old No 158 New No. 325, Linghi Chetty Street, Channi-600001.
Branch (Sriperumbdur):- 29, Panjalpettu Village, Chennai Bangalore Highway, Sriperumbudur, Tamilnadu-602105
Email:- info@madrastools.net
Phone:- +91-98401-79451, +91- 80158-44478
GST No:- 33AAAPN9529P1Z6
MSME:- UDYAM-TN-02-0054132

PUNE

Address:- Shop No 2, 1045, Vishwashanti Building, Raviwar Peth, Pune - 411002
Branch (Talegaon):- Shop No: 1,2,3,4 Block Sector, Katavi Distric, Talegaon Dabhade, Pune - 450506
Email:- madrastoolspune@gmail.com
Phone:- +91-84464-47152, +91- 98404-22553
GST No:- 27EVSPM6059N1ZG
MSME:- UDYAM-MH-26-0345577