

POWERBILT®

Professional tools



PRODUCT CATALOGUE

JULY-2025



 www.powerbilt.in

INDEX

POWERBILT®
Professional tools

GENERATORS

3-4

POWER TOOLS

5-15

CORDLESS TOOLS

16-18

WELDING MACHINE & COMPRESSOR

19

CLEANING TOOLS

20

GARDEN TOOLS

21-23

DIAMOND SAW BLADES

24-29

GRINDING WHEELS

30

ABRASIVES

31-34

TCT SAW BLADES

35-36

DIAMOND BITS | DRILL CHUCKS | HIGH TORQUE & SDS BITS

37-39

CHAINSAW & BRUSH CUTTER SPARES

39-41

CHAIN SAW SPARE PARTS & ACCESSORIES

42-43

CHECKMATE®
PROFESSIONAL TOOLS

POWER TOOLS

44-52

DIAMOND SAW BLADE

53

TCT SAW BLADES & SAW CHAIN

54-55

GUIDE BAR & ACCESSORIES

55

POWERMATIC®
High quality tools

POWER TOOLS

57-61

GARDEN TOOLS

63

TCT, DIAMOND SAW & ABRASIVES

64-65

GUIDE BAR & SAW CHAINS

65

CHAINSAW SPARES & CHISELS

66

IRON KING®
Quality tools

POWER TOOLS

67

GARDEN TOOLS

68

SPARE PARTS & POWER TOOLS

69-71

POWERBILT®

Professional tools

POWERING THE WORLD



POWERFUL. GENERATOR

- Full copper motor with strong power
- Low consumption and environmental protection
- Low noise design.

ELECTRIC
START



ELECTRONIC
DISPLAY



OVER LOADING
PROTECTION



LOW OIL LEVEL
PROTECTION



AUTOMATIC



9.5 KW 7.5 KW 5.5 KW 3.0 KW 1.0 KW

GASOLINE GENERATOR-1.0kw

▶ 1.0kw / 98cc
▶ PART#5901

PBT-GGE-1500



**4
STROKE**



- OUTPUT POWER : 230V/ 50Hz
- FUEL TANK CAPACITY : 9 Ltr
- OIL TANK CAPACITY : 600 ml

GASOLINE GENERATOR-3.5kw

▶ 3.0kw / 212cc
▶ PART#5902

PBT-GGE-3600



**4
STROKE**



- OUTPUT POWER : 230V/ 50Hz
- FUEL TANK CAPACITY : 15 Ltr
- OIL TANK CAPACITY : 600 ml

GASOLINE GENERATOR-5.5kw

▶ 5.5kw / 420cc
▶ PART#5903

PBT-GGE-6500



**4
STROKE**



- OUTPUT POWER : 230V/ 50Hz
- FUEL TANK CAPACITY : 25 Ltr
- OIL TANK CAPACITY : 1100 ml

GASOLINE GENERATOR-7.5kw

▶ 7.5kw / 439cc
▶ PART#5904

PBT-GGE-9500



**4
STROKE**



- OUTPUT POWER : 230V/ 50Hz
- FUEL TANK CAPACITY : 25 Ltr
- OIL TANK CAPACITY : 600 ml

PBT-GGE-13000

▶ 9.5kw / 550cc
▶ PART#5905

GASOLINE GENERATOR - 9.5kw

- OUTPUT POWER : 230V/ 50Hz
- FUEL TANK CAPACITY : 25 Ltr
- OIL TANK CAPACITY : 1100 ml



**4
STROKE**



POWER TOOLS

PBT-ED-6RF

DRILL MACHINE

600W

PART#8602



- CHUCK CAPACITY : 6mm
- VOLTAGE/FREQ : 220V/50Hz
- NO-LOAD SPEED : 0-3900 r/min
- DRILLING DIA : (Steel-6mm, Wood-12mm)

PBT-ED-10RE

DRILL MACHINE

650W

PART#8614



- CHUCK CAPACITY : 10mm
- VOLTAGE/FREQ : 220V/50Hz
- NO-LOAD SPEED : 0-3200 r/min
- DRILLING DIA : (Steel-10mm, Wood-18mm)

PBT-ID-13M

IMPACT DRILL

900W

PART#8622



- CHUCK CAPACITY : 13mm
- VOLTAGE/FREQ : 220V/50Hz
- NO-LOAD SPEED : 0-3000 r/min
- DRILLING DIA : (Concrete-13mm, Steel-10mm Wood-25mm)

PBT-ID-13RF

IMPACT DRILL MACHINE

950W

PART#8630



- CHUCK CAPACITY : 13mm
- VOLTAGE/FREQ : 220V/50Hz
- NO-LOAD SPEED : 0-3000 r/min
- DRILLING DIA : (Concrete-13mm, Steel-10mm Wood-25mm)

PBT-EID-13G

IMPACT DRILL MACHINE

1200W

PART#1211



- CHUCK CAPACITY : 13mm
- VOLTAGE/FREQ : 220V/50Hz
- NO-LOAD SPEED : 0-2900 r/min
- DRILLING DIA : (Concrete-13mm, Steel-10mm Wood-25mm)

PBT-SD-10L

SCREWDRIVER MACHINE

500W

PART#8658



- CHUCK DIAMETER : 10mm
- VOLTAGE/FREQ : 220V/50Hz
- NO-LOAD SPEED : 0-750 r/min

PBT-SD-900

SCREWDRIVER MACHINE

900W

PART#8661



- CHUCK DIAMETER : 10mm
- VOLTAGE/FREQ : 220V/50Hz
- NO-LOAD SPEED : 0-100 r/min

PBT-SD10-1200

SCREWDRIVER MACHINE

1200W

PART#1214



- CHUCK DIAMETER : 10mm
- VOLTAGE/FREQ : 220V/50Hz
- NO-LOAD SPEED : 0-4500 r/min



READY^{FOR} INDIAN

TEMPERATURE



PBT-EW-20

ELECTRIC WRENCH

1100W
PART#8304

400N.m TORQUE

- TORQUE : 400N.m
- MAX DRIVER DIA : 17-22mm
- NO-LOAD SPEED : 2800 r/min



PBT-EM-160S

ELECTRIC PAINT MIXER

1050W
PART#8684

- CHUCK DIAMETER : 160mm
- VOLTAGE/FREQ : 220V/50Hz
- NO-LOAD SPEED : 680 r/min



PBT-EM-160F

ELECTRIC PAINT MIXER

1050W
PART#8683

- CHUCK DIAMETER : 160mm
- VOLTAGE/FREQ : 220V/50Hz
- NO-LOAD SPEED : 680 r/min



PBT-RH-20A

ROTARY HAMMER

(20mm)

1100W
PART#8697

- MAX DRILL CAPACITY : 20mm
- VOLTAGE/FREQ : 220V/50Hz
- NO-LOAD SPEED : 850-3900 r/min



PBT-RH-26

ROTARY HAMMER

(26mm)

1600W
PART#8728

- MAX DRILL CAPACITY : 26mm
- VOLTAGE/FREQ : 220V/50Hz
- NO-LOAD SPEED : 1100-4200 r/min



PBT-RDH2-28M

ROTARY HAMMER

(28mm)

2000W
PART#8733

- MAX DRILL CAPACITY : 28mm
- VOLTAGE/FREQ : 220V/50Hz
- NO-LOAD SPEED : 0-1100 r/min

ALUMINUM
GEAR BOX



PBT-RH-30A

ROTARY HAMMER

(30mm)

2500W
PART#8735

- MAX DRILL CAPACITY : 30mm
- NO-LOAD SPEED : 1250-4900 r/min
- VOLTAGE/FREQ : 220V/50Hz



PBT-RDH4-26

ROTARY DEMOLITION

4kg (3in1)

1700W
PART#8730

- MAX DRILL CAPACITY : 26mm
- VOLTAGE/FREQ : 220V/50Hz
- NO-LOAD SPEED : 880 r/min



PBT-RHD6-30

ROTARY DEMOLITION

6kg (3in1)

2600W
PART#1215

- MAX DRILL CAPACITY : 6-30mm
- NO-LOAD SPEED : 930 r/min
- IMPACT POWER : 5.5 JOULES
- VOLTAGE / FREQ : 220V/50Hz



PBT-DH7-1800

DEMOLITION HAMMER

1800W
PART#8743

- IMPACT RATING (BPM) : 3600
- IMPACT POWER : 21 JOULES
- VOLTAGE / FREQ : 220V/50Hz



SDS HEX



PBT-DH8-2000

DEMOLITION HAMMER

2000W

PART #8749



SDS HEX



- IMPACT RATING (BPM) : 3000
- IMPACT POWER : 21 JOULES
- VOLTAGE / FREQ : 220V/50Hz

PBT-DH9-2200

DEMOLITION HAMMER

2200W

PART #9106



SDS HEX



- IMPACT RATING (BPM) : 3700
- IMPACT POWER : 21J
- VOLTAGE / FREQ : 220V/50Hz

PBT-DH8-1800S

DEMOLITION HAMMER

1800W

PART #8746



SDS MAX



- IMPACT RATING (BPM) : 3000
- IMPACT POWER : 21 JOULES
- VOLTAGE / FREQ : 220V/50Hz

PBT-DH11-2100

DEMOLITION HAMMER

2100W

PART #8762

(11kg)



- CHISEL HOLDER : SDS-MAX
- IMPACT POWER : 25-30 JOULES
- IMPACT RATING (BPM) : 900-1900



PBT-DH13-2500

DEMOLITION HAMMER

2500W

PART #8763

(13kg)



- CHISEL HOLDER : SDS-MAX
- IMPACT POWER : 25-30 JOULES
- IMPACT RATING (BPM) : 900-1900



PBT-DH12-2300

DEMOLITION HAMMER

2300W

PART #8761

(12kg)



- CHISEL HOLDER : SDS-MAX
- IMPACT POWER (BPM) : 27-32 JOULES
- VOLTAGE / FREQ : 220V/50Hz



PBT-DH65-2000

DEMOLITION HAMMER

2000W

PART #8775

(16kg)



- IMPACT RATING (BPM) : 2000
- IMPACT POWER : 95 JOULES
- VOLTAGE / FREQ : 220V/50Hz



PBT-DH65-3100

DEMOLITION HAMMER

3100W

PART #8778

(16kg)



- IMPACT RATING (BPM) : 2000
- IMPACT POWER : 95 JOULES
- VOLTAGE / FREQ : 220V/50Hz



PBT-DH27-3000

DEMOLITION HAMMER

3000W

PART #8777

(27kg)



- IMPACT RATING (BPM) : 1450
- IMPACT POWER : 65 JOULES
- VOLTAGE / FREQ : 220V/50Hz



Coming soon...



PBT-CM4-SA

MARBLE CUTTER 4"

1250W
PART#8784



- DISC DIAMETER : 110/125mm
- VOLTAGE/FREQ : 220V/50Hz
- NO-LOAD SPEED : 12000 r/min



PBT-CM4-SB-HQ

MARBLE CUTTER 4"

1550W
PART#8799



- DISC DIAMETER : 110mm
- VOLTAGE/FREQ : 220V/50Hz
- NO-LOAD SPEED : 12000 r/min



PBT-CM4-1900G

MARBLE CUTTER 4"

1900W
PART#8803



- DISC DIAMETER : 115mm
- VOLTAGE/FREQ : 220V/50Hz
- NO-LOAD SPEED : 13000 r/min



PBT-CM5-1700

MARBLE CUTTER 5"

1700W
PART#8820



- DISC DIAMETER : 125mm
- VOLTAGE/FREQ : 220V/50Hz
- NO-LOAD SPEED : 13000 r/min

⚙️ TILTING BASE 45°



PBT-CM5-1800G

MARBLE CUTTER 5"

1800W
OLD PART#8221
NEW PART#8227



- DISC DIAMETER : 125mm
- VOLTAGE/FREQ : 220V/50Hz
- NO-LOAD SPEED : 13000 r/min



PBT-CM6-1900

MARBLE CUTTER 6"

1900W
PART#8841



- DISC DIAMETER : 150mm
- VOLTAGE/FREQ : 220V/50Hz
- NO-LOAD SPEED : 13000 r/min



Comming soon...

Comming soon...



POWERBILT[®]
Professional tools

PBT-AG4-1000

ANGLE GRINDER 4"

1000W
PART#8897



FRONT SWITCH

- DISC DIAMETER : 100mm
- VOLTAGE/FREQ : 220V/50Hz
- NO-LOAD SPEED (R/Min) : 11000

PBT-AG4-1050

ANGLE GRINDER 4"

1050W
PART#8898



BACK SWITCH

- DISC DIAMETER : 100mm
- VOLTAGE/FREQ : 220V/50Hz
- NO-LOAD SPEED (R/Min) : 11000

PBT-AG4-1100

ANGLE GRINDER 4"

1100W
PART#8863



BACK SWITCH

- DISC DIAMETER : 100mm
- VOLTAGE/FREQ : 220V/50Hz
- NO-LOAD SPEED (R/Min) : 11000

PBT-AG4VS-1150

ANGLE GRINDER 4"

1150W
PART#8865



VARIABLE SPEED

- DISC DIAMETER : 110mm
- VOLTAGE/FREQ : 220V/50Hz
- NO-LOAD SPEED (R/Min) : 11000

PBT-AG4-1200

ANGLE GRINDER 4"

1200W
PART#8864



BACK SWITCH

- DISC DIAMETER : 110mm
- VOLTAGE/FREQ : 220V/50Hz
- NO-LOAD SPEED (R/Min) : 11000

PBT-AG4-1500

ANGLE GRINDER 4"

1500W
PART#8902



BACK SWITCH

- DISC DIAMETER : 100mm
- VOLTAGE/FREQ : 220V/50Hz
- NO-LOAD SPEED (R/Min) : 11000

POWERBILT

PBT-AG5-1100

ANGLE GRINDER 5"

1100W
PART#8905



- DISC DIAMETER : 125mm
- VOLTAGE/FREQ : 220V/50Hz
- NO-LOAD SPEED : 11000 r/min

PBT-AG5-1200

ANGLE GRINDER 5"

1200W
PART#8906



- DISC DIAMETER : 125mm
- VOLTAGE/FREQ : 220V/50Hz
- NO-LOAD SPEED : 11000 r/min

PBT-AG5-1500

ANGLE GRINDER 5"

1500W
PART#8909



- DISC DIAMETER : 125mm
- VOLTAGE/FREQ : 220V/50Hz
- NO-LOAD SPEED : 11000 r/min

PBT-AG5L-1900

ANGLE GRINDER 5"

1900W
PART#8904



- DISC DIAMETER : 125mm
- VOLTAGE/FREQ : 220V/50Hz
- NO-LOAD SPEED : 12000 r/min

PBT-AG7-3200

ANGLE GRINDER 7"

3200W
PART#8915



- DISC DIAMETER : 180mm
- VOLTAGE/FREQ : 220V/50Hz
- NO-LOAD SPEED : 8400 r/min

PBT-AG7-4100

ANGLE GRINDER 7"

4100W
PART#8917



- DISC DIAMETER : 180/230mm
- NO-LOAD SPEED : 0-8400 r/min
- VOLTAGE/FREQ : 220V/50Hz

PBT-AG9-4600

ANGLE GRINDER 9"

4600W
PART#8918



- DISC DIAMETER : 180/230mm
- NO-LOAD SPEED : r/min
- VOLTAGE/FREQ : 220V/50Hz


PBT-DG-800

DIE GRIENDER 6mm

800W
PART#8926



- DISC DIAMETER : 6mm
- VOLTAGE/FREQ : 220V/50Hz
- NO-LOAD SPEED : 2900 r/min



PBT-C0355-3000

CUT OFF MACHINE

3000W
PART#8976

- DISC DIAMETER : 355mm
- VOLTAGE/FREQ : 220V/50Hz
- NO-LOAD SPEED : 0-4000 r/min
- MAX CUTTING CAPACITY : 110mm



PBT-C0355-3400

CUT OFF MACHINE

3400W
PART#8980

- DISC DIAMETER : 355mm
- NO-LOAD SPEED : 0-3900 r/min
- MAX CUTTING CAPACITY : 110mm
- VOLTAGE/FREQ : 220V/50Hz



PBT-C0355-3500

CUT OFF MACHINE

3500W
PART#8979

- DISC DIAMETER : 355mm
- VOLTAGE/FREQ : 220V/50Hz
- NO-LOAD SPEED : 0-4000 r/min
- MAX CUTTING CAPACITY : 110mm

D-HANDLE



PBT-C0400-4HP

MOTORIZED CHOP SAW

4HP
PART#1216

- DISC DIAMETER : 400mm
- VOLTAGE/FREQ : 415V
- NO-LOAD SPEED : 2840 r/min
- MAX CUTTING CAPACITY : 150mm



PBT-MS10-2800D

MITER SAW

10"

2800W
PART#8982

- DISC DIAMETER : 255mm
- VOLTAGE/FREQ : 220V/50Hz
- NO-LOAD SPEED : 6000 r/min



PBT-MS-255H

MITER SAW

10"

2600W
PART#8981

- DISC DIAMETER : 255mm
- VOLTAGE/FREQ : 220V/50Hz
- NO-LOAD SPEED : 5000 r/min



PBT-MS12-3200D

MITER SAW

12"

3200W
PART#8983

- DISC DIAMETER : 305mm
- VOLTAGE/FREQ : 220V/50Hz
- NO-LOAD SPEED : 6000 r/min



Comming soon...

PBT-EB-950

BLOWER VARIABLE

950W

PART#8999

VARIABLE SPEED



- BLOWING RATE (R/MIN) : 0-2.8M³/Min
- NO-LOAD SPEED : 0-14000 r/min
- VOLTAGE/FREQ : 220V/50Hz

PBT-EBV-1200

VACCUM BLOWER

1200W

PART#9001



- BLOWING RATE (R/MIN) : 0-3.8/Min
- NO-LOAD SPEED : 0-1600 r/min
- VOLTAGE/FREQ : 220V/50Hz

PBT-VCB-1400

VACCUM BLOWER

1400W

PART#9105



- BLOWING RATE (R/MIN) : 0-3.8/Min
- NO-LOAD SPEED : 0-1600 r/min
- VOLTAGE/FREQ : 220V/50Hz

PBT-HG-2200

HEAT GUN

2200W

PART#9015



- INPUT POWER : 2200W
- TEMPERATUR : 80-6000
- VOLTAGE/FREQ : 220V/50Hz

PBT-EP-1000

ELECTRIC PLANNER

1000W

PART#9074



- MAX PLANING DEPTH : 82mm
- MAX PLANING WIDTH : 1mm
- NO-LOAD SPEED : 16000 r/min

PBT-EP-1200

ELECTRIC PLANNER

1200W

PART#9072



- MAX PLANING DEPTH : 82mm
- MAX PLANING WIDTH : 1mm
- NO-LOAD SPEED : 0-16000 r/min

PBT-JS-900L

JIG SAW

900W

PART#9082



- MAX CUTTING DEPTH : 65mm
- NO-LOAD SPEED : 0-3000 r/min

PBT-CS-2000

CIRCULAR SAW-185mm

7"

2000W

PART#8845



- DISC DIAMETER : 185mm
- VOLTAGE/FREQ : 220V/50Hz
- NO-LOAD SPEED : 5000 r/min



PBT-ER12-2200VS

ELECTRIC ROUTER

2200W

PART#9058

VARIABLE SPEED



- CAPACITY : 8-12mm
- NO-LOAD SPEED : 23000 r/min

PBT-TR-700

WOOD TRIMMER

700W

PART#9085



- DIAMETER : 6-6.35mm
- NO-LOAD SPEED : 3000 r/min

PBT-DWS-1500

DRY WALL SANDER

▶ **1500W**
▶ **PART#1204**

- SIZE : 180mm
- NO-LOAD SPEED (R/Min) : 0-2600
- VOLTAGE/FREQ : 220V/50Hz



PBT-SML-3300

SMOOTH SANDER

▶ **3300W**
▶ **PART#8402**

- SIZE : 380mm
- NO-LOAD SPEED (R/Min) : 80-1000
- VOLTAGE/FREQ : 220V/50Hz



PBT-OS-185

ORBITAL SANDER

▶ **350W**
▶ **PART#8930**

- SIZE : 93mm x 185mm
- NO-LOAD SPEED (R/Min) : 1000



PBT-RSD-125

ROTARY SANDER

▶ **550W**
▶ **PART#8932**

- DIAMETER : 125mm
- NO-LOAD SPEED (R/Min) : 8000-12000
- VOLTAGE/FREQ : 220V/50Hz



PBT-EV-1400

CONCRETE VIBRATOR

▶ **1400W**
▶ **PART#9089**

- SIZE : 35mm
- NO-LOAD SPEED (R/Min) : 4600
- VOLTAGE/FREQ : 220V/50Hz



PBT-EV-2600

CONCRETE VIBRATOR

▶ **2600W**
▶ **PART#9093**

- SIZE : 35mm
- NO-LOAD SPEED (R/Min) : 0-4000
- VOLTAGE/FREQ : 220V/50Hz



PBT-EVB-2500

CONCRETE VIBRATOR

▶ **2500W**
▶ **PART#9092**

- SIZE : 30mm
- VOLTAGE/FREQ : 220V/50Hz
- NO-LOAD SPEED (R/Min) : 0-4600



PBT-SC-4200

SLAB CUTTER

(16")

▶ **4200W**
▶ **PART#9101**

- DIA METER : 400mm
- MAX CUTTING DEPT : 150mm
- NO OF LOAD SPEED (R/Min) : 0-4700
- VOLTAGE/FREQ : 220V/50Hz



PBT-SC24-5200

SLAB CUTTER

(24")

▶ **5200W**
▶ **PART#9102**

- DIA METER : 610mm
- MAX CUTTING DEPT : 275mm
- NO OF LOAD SPEED (R/Min) : 0-2300
- VOLTAGE/FREQ : 220V/50Hz



PBT-GCPS-405

GASOLINE SLAB CUTTER

▶ **52CC**
▶ **PART#9103**

- ENGINE TYPE : 2 Stroke
- FUEL TANK CAPACITY : 1.3 L
- MAX SPEED (R/Min) : 8500
- WEIGHT : 33 LBS





PBT-WC-3500

WALL CHASER MACHINE

3500W
PART#9099

- GROOVING DEPTH : 20-42mm
- GROOVING WIDTH : 4-45mm
- NO-LOAD SPEED (R/Min) : 6200
- BLADE DIA : 133mm



PBT-CP-1500

CAR POLISHER

1500W
PART#8929

- DIAMETER : 180mm
- NO-LOAD SPEED (R/Min) : 0-2300



PBT-PS-1100

PAINT SPRAYER

1100W
PART#9210

- BIGGEST JET FLOW (R/Min) : 3159
- FLOW RATE (R/Min) : 0-1200 ml
- NOZZLE SIZE : 2.5 mm



PBT-ESCP-1200

ELECTRIC SHEEP CLIPPER

1200W
PART#8360

- BLADE WIDTH : 76MM
- NO-LOAD SPEED : 0-2800
- VOLTAGE/FREQ : 220V/50Hz



PBT-MD-45

MAGNETIC DRILL MACHINE

1620W
PART#1213

- DRILL CAPACITY : 38mm
- MAGNETISM : 14500N
- NO-LOAD SPEED : 0-650
- VOLTAGE/FREQ : 220V/50Hz



PBT-CC160-3400 CORE CUTTING MACHINE

160mm

1200W
PART#9028

- MAX DRILL CAPACITY : 160mm
- NO-LOAD SPEED (R/Min) : 1900
- VOLTAGE/FREQ : 220V/50Hz



PBT-CC-200 CORE CUTTING MACHINE

4500W
PART#9025

- DIA : 8" (200mm)
- NO-LOAD SPEED : 700
- VOLTAGE/FREQ : 220V/50Hz



PBT-CC-250 CORE CUTTING MACHINE

4800W
PART#9027

- DIA : 10" (250mm)
- NO-LOAD SPEED : 700
- VOLTAGE/FREQ : 220V/50Hz



PBT-CC-300 CORE CUTTING MACHINE

4800W
PART#9026

- DIA : 12" (300mm)
- NO-LOAD SPEED : 700
- VOLTAGE/FREQ : 220V/50Hz



NO POWER? WORRIES

POWERBILT®
CORDLESS TOOLS
ARE HERE TO

HELP YOU!...



PBT-CL-CD12ES

CORDLESS SCREWDRIVER

12V

PART#9190

IMPACT FUNCTION



- CHUCK CAPACITY : 10mm
- CHARGER OUTPUT : 10.8V-12.8V
- NO-LOAD SPEED (R/Min) : 0-350/0-1400
- MAX DRIVER DIA : 10mm Steel, 15mm Wood

PBT-CL-CID21

CORDLESS SCREWDRIVER

21V

PART#9199



- CHUCK CAPACITY : 10mm
- CHARGER OUTPUT : 10.8V-12.8V
- NO-LOAD SPEED (R/Min) : 0-350/0-1400
- MAX DRIVER DIA : 10mm Steel, 15mm Wood

PBT-CBL16.8V-ID50

CORDLESS SCREWDRIVER

16.8V

PART#5909

45N.m TORQUE

BRUSHLESS



- CHUCK CAPACITY : 10mm
- TORQUE : 45N.m
- NO-LOAD SPEED : 500-1600 r/min
- MAX DRIVER DIA : 10mm Concrete & 10mm Steel & 15mm Wood

PBT-CL-BL12

CORDLESS SCREWDRIVER

12V

PART#9214

30N.m TORQUE

RATCHET CHUCK



BRUSHLESS



- CHUCK CAPACITY : 10mm
- CHARGER OUTPUT : 10.8V-12.8V
- NO-LOAD SPEED (R/Min) : 0-350/0-1400
- MAX DRIVER DIA : 10mm Steel, 15mm Wood

PBT-CBL21V-ID13

CORDLESS SCREWDRIVER

21V

PART#9219

90N.m TORQUE

BRUSHLESS



- CHUCK CAPACITY : 13mm
- TORQUE : 90N.m
- MAX CHUCK SIZE : 13mm
- NO-LOAD SPEED (R/Min) : 0-1800
- MAX DRIVER DIA : 13mm Concrete, 10mm Steel, 25mm Wood

PBT-CBL21V-ID13HQ

CORDLESS SCREWDRIVER

21V

PART#1789

50N.m TORQUE

BRUSHLESS



- CHUCK CAPACITY : 13mm
- TORQUE : 50N.m
- MAX CHUCK SIZE : 13mm
- NO-LOAD SPEED (R/Min) : 450-1500
- MAX DRIVER DIA : 13mm Steel & 20mm Wood

PBT-CL-WR21

CORDLESS IMPACT WRENCH

21V

PART#9192

350N.m TORQUE

BRUSHLESS



- MAX DRIVER DIA : 12.7mm (1/2")
- CHARGER OUTPUT : 21V-1.0ADC
- NO-LOAD SPEED (R/Min) : 0-3300

PBT-CL-21WR550

CORDLESS IMPACT WRENCH

21V


PART#9208

550N.m TORQUE

BRUSHLESS



- MAX DRIVER DIA : 12.7mm (1/2")
- CHARGER OUTPUT : 21V-1.0ADC
- NO-LOAD SPEED (R/Min) : 0-2500



Portability
Versatility
Cost-Effective
Japanese Battery Tech



PBT-CL-21WR1000 CORDLESS IMPACT WRENCH

▶ 21V
▶ PART#9222

1000N.m TORQUE

- CHARGER OUTPUT : 21V-1.0 ADC
- NO-LOAD SPEED (R/Min) : 3200
- MAX DRIVER DIA : 12.7mm (1/2")



PBT-CL-RH-26 CORDLESS ROTARY HAMMER

▶ 21V
▶ PART#9194

BRUSHLESS

- IMPACT TIMES : 0-4850/min
- NO-LOAD SPEED : (R/Min) 0-1100
- BATTERY POWER : 21V (Lion-4AH)
- MAX DRILL CAPACITY : Concrete-26mm, Wood-30mm & Steel-13mm



PBT-CL-RDH26A CORDLESS ROTARY HAMMER

▶ 21V
▶ PART#9223

BRUSHLESS

- NO-LOAD SPEED (R/Min) : 0-1100
- DRILL CAPACITY : 26mm
- MAX DRILL CAPACITY : Concrete-26mm, Wood-30mm & Steel-13mm



PBT-CL-DH8 CORDLESS DEMOLITION HAMMER

▶ 21V
▶ PART#9221

BRUSHLESS

- NO-LOAD SPEED (R/Min) : 0-1900
- DRILL CAPACITY : 17mm



PBT-CL-MC150 CORDLESS MARBLE CUTTER **6"**

▶ 21V
▶ PART#9220

BRUSHLESS

- BLADE DIAMETER : 150mm
- CHARGER OUTPUT : 21V
- NO-LOAD SPEED (R/Min) : 0-7300



PBT-CL-AG4 CORDLESS ANGLE GRINDER **4"**

▶ 21V
▶ PART#9193

BRUSHLESS

- DISC DIAMETER : 100mm
- CHARGER OUTPUT : 21V-1.2ADC
- NO-LOAD SPEED (R/Min) : 2300-6500



PBT-CL-BL21 CORDLESS BLOWER

▶ 21V
▶ PART#9200

- IMPACT TIMES : 0-4850/Min
- NO-LOAD SPEED (R/Min) : 14500
- AIR FLOW : 2.2M³/ Min



PBT-CBL21-IBL CORDLESS BLOWER

▶ 21V
▶ PART#5908

BRUSHLESS

- NO-LOAD SPEED (R/Min) : 0-22000 r/min
- MAX WIND SPEED : 45.5 m/s
- MAX AIR VOLUME : 12.2 m³/min



PBT-CL21-STBL

CORDLESS STORM BLOWER

- ▶ 21V
- ▶ PART#8403



- IMPACT TIMES : 0-4850/Min
- NO-LOAD SPEED (R/Min) : 0-24000
- AIR FLOW : 500G

PBT-CL-TM135

CORDLESS TILE VIBRATOR

- ▶ 12V
- ▶ PART#9196



- DIAMETER : 135mm
- MA SUCKING WEIGHT : 50 kgs
- BATTERY POWER : 12V / 1.5 AHx2
- VIBRATION RATE (R/Min) : 2800-5500

PBT-CBL21-TM180

CORDLESS TILE VIBRATOR

- ▶ 21V
- ▶ PART#8301



- DIAMETER : 145mm
- MA SUCKING WEIGHT : 50 kgs
- VIBRATION RATE : 1500-7500 r/min

PBT-CL-CS4

CORDLESS CHAINSAW

4"

- ▶ 21V
- ▶ PART#9197



- NO-LOAD SPEED(R/Min) : 0-9500
- GUIDE BAR LENGTH : 4"
- CHAIN SAW LENGTH : 100mm

PBT-CL-CS8

CORDLESS CHAINSAW

8"

- ▶ 21V
- ▶ PART#9217



BRUSHLESS

- NO-LOAD SPEED(R/Min) : 1500
- GUIDE BAR LENGTH : 8"
- CHAIN SAW LENGTH : 200mm

PBT-CL-CS12

CORDLESS CHAINSAW

12"

- ▶ 21V
- ▶ PART#9047



- GUIDE BAR LENGTH : 12" (305mm)
- BATTERY POWER : 21V

BRUSHLESS

PBT-CL-CS16

CORDLESS CHAINSAW

16"

- ▶ 21V
- ▶ PART#9224



BRUSHLESS

- GUIDE BAR LENGTH : 16"/16"
- NO-LOAD SPEED : 3700 r/min

PBT-LDM-100T

LASER DISTANCE METER

- ▶ 100M
- ▶ PART#5911



- Length Measurement
- Area Measurement
- Volume Measurement
- Pythagorean Measurement

Comming soon...

Comming soon...

COMPRESSOR & WELDING

PBT-WI-200

WELDING MACHINE

PART#9422

- RATED INPUT VOLTAGE (V) : AC 220V +15%
- WELDING CURRENT RANGE (A) : 20/200
- ARC FORCE CURRENT RANGE (A) : 0-100
- WELDING ROD : 1.6-3.2mm (Max 4.0mm)



PBT-WI-250

WELDING MACHINE

PART#9423

- RATED INPUT VOLTAGE (V) : AC 220V +15%
- WELDING CURRENT RANGE (A) : 20/250
- ARC FORCE CURRENT RANGE (A) : 0-100
- WELDING ROD : 1.6-4mm (Max 4.0mm)



PBT-WI-300

WELDING MACHINE

PART#9424

- RATED INPUT VOLTAGE (V) : AC 220V +15%
- WELDING CURRENT RANGE (A) : 0-300
- ARC FORCE CURRENT RANGE (A) : 0-100
- WELDING ROD : 1.6 to 4.5mm



PBT-AC-30

AIR COMPRESSOR

2HP

PART#9205

- IMPACT RATING (BPM) : 2850/ Min
- AIR FLOW CAPACITY : 169 L/Min
- AIR TANK CAPACITY : 30 Ltr
- PRESS : 220V/ 50Hz



PBT-AC-50

AIR COMPRESSOR

3HP

PART#9206

- IMPACT RATING (BPM) : 2850/ Min
- AIR FLOW CAPACITY : 169 L/Min
- AIR TANK CAPACITY : 50 Ltr
- PRESS : 220V/ 50Hz



PBT-OFAC-30

AIR COMPRESSOR

1.5HP/ 1100W

PART#9212

OIL FREE

- MAX PRESSURE : 8BAR/ 115Psi
- FLOW RATE : 167 L/Min
- TANK CAPACITY : 30 Ltr
- SPEED : 2850 RPM
- CYLINDER : 58mm x 2



PBT-OFAC-50

AIR COMPRESSOR

1.5HP/ 1100W

PART#9213

OIL FREE

- MAX PRESSURE : 8BAR/ 115Psi
- FLOW RATE : 167 L/Min
- TANK CAPACITY : 50 Ltr
- SPEED : 2850 RPM
- CYLINDER : 58mm x 2



Comming soon...

CLEANING TOOLS

PBT-VC-25

VACUUM CLEANER

2000W
PART#9203

- AIR FLOW : 2.6m³/ Min
- WATER FLOW : 25 L/Min
- VOLTAGE/ FREQ : 220V/ 50Hz



PBT-VC-35

VACUUM CLEANER

2500W
PART#9201

- AIR FLOW : 2.6m³/ Min
- WATER FLOW : 35 L/Min
- VOLTAGE/ FREQ : 220V/ 50Hz



PBT-CW-2200

CAR WASHER

2200W
PART#9440

- PRESSURE : 130 BAR
- FLOW : 390 L/H
- MA WATER TEMP : 40°-DEGREE
- VOLTAGE/ FREQ : 220V/ 50Hz



PBT-CW-2500

CAR WASHER

2500W
PART#9441

- PRESSURE : 180 BAR
- FLOW : 720 L/H
- MA WATER TEMP : 40°-DEGREE
- VOLTAGE/ FREQ : 220V/ 50Hz



PBT-CW-2700

CAR WASHER

2700W
PART#9445

- PRESSURE : 250 BAR
- FLOW : 880 L/H
- MA WATER TEMP : 40°-DEGREE
- VOLTAGE/ FREQ : 230V/ 50Hz



PBT-CW-3000

CAR WASHER

3000W
PART#9446

- PRESSURE : 260 BAR
- MA WATER TEMP : 40°-DEGREE
- VOLTAGE/ FREQ : 220V/ 50Hz



PBT-CW-4HP

CAR WASHER

4HP
PART#9447

- PRESSURE : 280 BAR
- MA WATER TEMP : 40°-DEGREE
- VOLTAGE/ FREQ : 220V/ 50Hz



Comming soon...

GARDEN TOOLS

PBT-BC-43SP

BRUSH CUTTER

SIDE PACK

43CC
PART#3041



- OUTPUT POWER : 1.35KW/ 6500RPM
- BLADE DIAMETER : 255mm
- WORKING POLE LENGTH : 1650mm
- FUEL TANK CAPACITY : 550ml

PBT-BC-52SP

BRUSH CUTTER

SIDE PACK

52CC
PART#3042



- OUTPUT POWER : 1.65KW/ 6500RPM
- BLADE DIAMETER : 255mm
- WORKING POLE LENGTH : 1650mm
- FUEL TANK CAPACITY : 550ml

PBT-BC-143R

BRUSH CUTTER

SIDE PACK

40.5CC
PART#3045



- OUTPUT POWER : 1.45KW/ 6500RPM
- BLADE DIAMETER : 255mm
- WORKING POLE LENGTH : 1650mm
- FUEL TANK CAPACITY : 550ml

PBT-BP-52BC

BRUSH CUTTER

BACK PACK

52CC
PART#3038



- OUTPUT POWER : 1.45KW/ 6500RPM
- BLADE DIAMETER : 255mm
- WORKING POLE LENGTH : 1650mm
- FUEL TANK CAPACITY : 550ml

PBT-BC-4S

BRUSH CUTTER

SIDE PACK

40CC
PART#3048



- OUTPUT POWER : 1.5KW/ 6500RPM
- BLADE DIAMETER : 255mm
- WORKING POLE LENGTH : 1650mm
- FUEL ENGINE : 0.90 Ltr
- ENGINE TYPE : 4 STROKE

PBT-BCST-52AG

BRUSH CUTTER



52CC
PART#3047

TROLLEY TYPE

- OUTPUT POWER : 1.45KW/ 6500RPM
- BLADE DIAMETER : 255mm
- WORKING POLE LENGTH : 1650mm
- DISPLACEMENT : 255
- FUEL TANK CAPACITY : 550ml





PBT-GCS-95

GASOLINE CHAIN SAW

▶ PART#18"-2998 / 22"-2999

95CC



- ENGINE TYPE : 2 STROKE • DISPLACEMENT : 95CC
- BAR LENGTH : 18"/22" • MAX SPEED : 12500 RPM
- OIL TANK CAPACITY : 260 ml • FUEL TANK CAPACITY : 550 ml

PBT-GCS-74

GASOLINE CHAIN SAW

▶ PART#18"-3007 / 22"-3013

74CC



- ENGINE TYPE : 2 STROKE, 1CYLINDER • DISPLACEMENT : 74CC
- BAR LENGTH : 18"/22" • MAX SPEED : 12500 RPM
- OIL TANK CAPACITY : 0.26 Ltr • FUEL TANK CAPACITY : 0.55 Ltr

PBT-GCS-72MS

GASOLINE CHAIN SAW

▶ PART#18"-3022 / 25"-3026
72CC

72CC



- ENGINE TYPE : 2 STROKE, 1CYLINDER • DISPLACEMENT : 72CC
- BAR LENGTH : 18"/25" • MAX SPEED : 12500 RPM
- OIL TANK CAPACITY : 0.26 Ltr • FUEL TANK CAPACITY : 0.55 Ltr

PBT-GCS-68

GASOLINE CHAIN SAW

▶ PART#18"-3023 / 22"-3024

68CC



- ENGINE TYPE : 2 STROKE, 1CYLINDER • DISPLACEMENT : 68CC
- BAR LENGTH : 18"/22" • MAX SPEED : 12500 RPM
- OIL TANK CAPACITY : 0.26 Ltr • FUEL TANK CAPACITY : 0.55 Ltr

PBT-GCS-63

GASOLINE CHAIN SAW

▶ PART#18"-3006 / 22"-3012
63CC

63CC



- ENGINE TYPE : 2 STROKE, 1CYLINDER • DISPLACEMENT : 63CC
- BAR LENGTH : 18"/22" • MAX SPEED : 12500 RPM
- OIL TANK CAPACITY : 0.26 Ltr • FUEL TANK CAPACITY : 0.55 Ltr

PBT-GCSM-40

GASOLINE CHAIN SAW

▶ PART#3019

40CC

12" (Mini)



- ENGINE TYPE : 2 STROKE • DISPLACEMENT : 40CC
- BAR LENGTH : 12" • FUEL TANK CAPACITY : 0.55 Ltr

PBT-ECS-2200

ELECTRIC CHAIN SAW

▶ 2200W

16" (405mm)

▶ PART#9040



- GUIDE BAR LENGTH : 16" (405mm)
- VOLTAGE/FREQ : 220V/50Hz
- NO-LOAD SPEED : 0-4000 r/min

PBT-ECS22-3100

ELECTRIC CHAIN SAW

▶ 3100W

22" (550mm)

▶ PART#9043



- GUIDE BAR LENGTH : 22" (550mm)
- VOLTAGE/FREQ : 220V/50Hz
- NO-LOAD SPEED : 6600 r/min



PBT-AUG-65

EARTH AUGER MACHINE

▶ 65CC
▶ PART #3049

- ENGINE TYPE : 1E48F | DISPLACEMENT : 64.9CC
- IDLING SPEED : 3000 r/min | MIXING RATIO : 30.1
- FUEL TANK CAPACITY : 950ml



PBT-AUG-85

EARTH AUGER MACHINE

▶ 85CC
▶ PART #3051

- ENGINE TYPE : 2STROKE | DISPLACEMENT : 85CC
- IDLING SPEED : 3000 r/min | MIXING RATIO : 30.1
- FUEL TANK CAPACITY : 0.55Ltr



PBT-AUG-98

EARTH AUGER MACHINE

▶ 98CC
▶ PART #3054

- ENGINE TYPE : 2STROKE | DISPLACEMENT : 98CC
- IDLING SPEED : 3000 r/min | MIXING RATIO : 30.1
- FUEL TANK CAPACITY : 0.55Ltr



PBT-WP-20HQ

WATER PUMP- 2"

▶ 160F/ 5.5HP
▶ PART #3052

- INLET / OUTLET PORT (DIA) : 50mm(2")
- MAX. DELIVERY DISTANCE : 30m
- SUCTION HEAD : 7m
- FLOW RATE : 25m³/h



PBT-WP-30HQ

WATER PUMP- 3"

▶ 160F/ 5.5HP
▶ PART #3053



- INLET / OUTLET PORT (DIA) : 80mm(3")
- MAX. DELIVERY DISTANCE : 30m
- SUCTION HEAD : 7m
- FLOW RATE : 25m³/h



PBT-CSG-600

CHAIN SHARPNER

▶ PART #9042

85W

- GRINDING WHEEL : 4-1/4"
- VOLTAGE/FREQ : 220V/50Hz
- NO-LOAD SPEED (R/Min) : 4200



**DIAMOND BLADES
SILVER SERIES**

4.5" SEGMENT BLADE



PART #1857

4" 8-SEG MUSCULAR BLADE



PART #1866

4" SEGMENT BLADE for GRANITE



PART #1856

4" SUPER THIN TURBO



PART #1914

4" CERAMIC TILE SEGMENT




PART #1892

5" SEGMENT

PART #1977
20mm Bore



PART #1978
22.23mm Bore



5" CONTINUOUS RIM



PART #1984

6" CONTINUOUS RIM



PART #2007

6" SEGMENT

PART #2008
20mm Bore



PART #2005
22.23mm Bore



7" SEGMENT



PART #2021

8" SEGMENT



PART #2030

10" SEGMENT



PART #2046

14" SEGMENT



PART #2057

16" SEG (25mm) SLAB CUTTER



PART #2058

DIAMOND SAW BLADES

POWERBILT®
Professional tools

GOLD SERIES

4" CERAMIC SEGMENT TILE (20mm)



▶ **PART#1895**
20mm Bore

4" 9-SEG MONSTER BLADE




▶ **PART#1867**

4" SEGMENT BLADE



▶ **PART#1862**

4.5" SEGMENT BLADE



▶ **PART#1861**

4" SUPER THIN TURBO



▶ **PART#1919**

4" CONTINUOUS RIM (GOLD)




▶ **PART#1879**

4" TURBO BLADE (110-TR)




▶ **PART#1884**

6" SEGMENT (20mm)



▶ **PART#2012**
20mm Bore

8" DRY CUTTING BLADE



▶ **PART#2031**

10" SEGMENT (22.23)



▶ **PART#2047**

10" SEGMENT TURBO (22.23)




▶ **PART#2048**
22.23mm Bore

3" CUP WHEEL RIM




▶ **PART#1944**

3" CUP WHEEL TURBO



▶ **PART#1945**

3" CUP WHEEL SEGMENT



▶ **PART#1947**

3" CUP SEG-TURBO



▶ **PART#1949**

4" CUP 12SEGMENT



▶ PART#1950

5"-DOUBLE CUP



▶ PART#1952

7"-DOUBLE CUP



▶ PART#1953

**DIAMOND BLADES
RED SERIES**

VACUUM BRAZZED BLADE (20mm)



▶ PART#1871
BORE: 20mm

4.5" SEGMENT BLADE (114mm)



▶ PART#1858

4" CERAMIC SEGMENT TILE (20mm)



▶ PART#1894
BORE: 20mm

4" HOT PRESS RIM



▶ PART#1908

4" (6mm Thick) TUCK POINT



▶ PART#1951

4" SUPER THIN TURBO




▶ PART#1917

4" MEXICO DESIGN THIN TURBO



▶ PART#1918

4" FLAT WHEEL DOUBLE (RIM + TURBO)



▶ PART#1963

5" SEGMENT SPECIAL



▶ PART#1982
22.23mm Bore

5" SEGMENT TURBO



▶ PART#1989
BORE: 22.23mm

8" SEGMENT-RED TURBO (22.23mm)



▶ PART#2032

DIAMOND SAW BLADES

POWERBILT®
Professional tools

DIAMOND BLADES **CREAM** SERIES

3" CONTINUOUS RIM BLADE



PART#1890

4" HOT PRESS CREAMIC BLADE



PART#1864

4" CERAMIC SEGMENT TILE



PART#1893

4" VETRIFIED RIM BLADE



PART#1907

DIAMOND BLADES **YELLOW** SERIES

4" SEGMENT



PART#1860

4" TURBO BLADE (110-TR)



PART#1880

4" CONTINUOUS RIM



PART#1883

5" SEGMENT



PART#1985
20mm Bore

PART#1983
22.23mm Bore

6" SEGMENT



PART#2009
20mm Bore

PART#2010
22.23mm Bore

DIAMOND BLADES
BLUE SERIES

4.5" SEGMENT BLADE



▶ **PART#1863**

8" DRY CUTTING BLADE



▶ **PART#2033**

DIAMOND BLADES
BLACK SERIES

4" CONCRETE TURBO SPECIAL



▶ **PART#1932**

12 SEGMENT BLADE-4"



▶ **PART#1859**


4" CONTINUOUS RIM



▶ **PART#1878**

SPECIAL FOR
GLASS CUTTING

4" CD BLADE (GLASS & GEMSTONES)



▶ **PART#1870**

DIAMOND BLADES
GREEN SERIES

NANO WHITE SPECIAL-4"(110mm)



▶ PART#1855



▶ PART#1981
5.5" (129mm)
20mm Bore

WALL CHASER BLADE-5.5"(129mm)



▶ PART#1976
5.5" (129mm)
22.23mm Bore

FLAT CUP WHEEL-TURBO-4"(105mm)



▶ PART#1962

FLAT CUP WHEEL 12 SEG -4"(100mm)



▶ PART#1948

CUP WHEEL-TURBO-4" (100mm)



▶ PART#1946



**VACUUM BRAZED
GRINDING WHEELS**



VACUUM BRAZED GRINDING WHEELS

HALF ROUND (French):

- 15mm-PART #2060
- 20mm-PART #2061
- 25mm-PART #2062
- 30mm-PART #2063
- 35mm-PART #2064



ROUND EDGE (Grinding):

- 20mm-PART #2070
- 30mm-PART #2071
- 35mm-PART #2072



FLAT WHEEL (Grinding):

- 20mm-PART #2080
- 30mm-PART #2081



CUT-OFF WHEEL
GREEN (SINGLE-NET)

Features:

- Made with excellent material quality.
- Prolonged wheel life with high durability.
- Perfect for super fast cutting.

PART No.	SIZE	DIAMETER (in mm)	THICKNESS (in mm)	ARBOR HOLE	QTY. CNT.
2701	4"	107 mm	1.2 mm	16 mm	800
2704	5"	125 mm	1.2 mm	22 mm	600
2744	14"	355 mm	2.5 mm	25.4 mm	40

CUT-OFF WHEEL
GREEN (DOUBLE-NET)

Features:

- Made with excellent material quality.
- Prolonged wheel life with high durability.
- Perfect for super fast cutting.

PART No.	SIZE	DIAMETER (in mm)	THICKNESS (in mm)	ARBOR HOLE	QTY. CNT.
2702	4"	107 mm	1.2 mm	16 mm	800
2705	5"	125 mm	1.2 mm	22 mm	600
2712	7"	180 mm	1.6 mm	22 mm	200
2745	14"	355 mm	2.5 mm	25.4 mm	40

CUT-OFF WHEEL
BROWN (DOUBLE-NET)

Features:

- Made with excellent material quality.
- Prolonged wheel life with high durability.
- Perfect for super fast cutting.

PART No.	SIZE	DIAMETER (in mm)	THICKNESS (in mm)	ARBOR HOLE	QTY. CNT.
2703	4"	107 mm	1.2 mm	16 mm	800
2746	14"	355 mm	2.5 mm	25.4 mm	40

CUT-OFF WHEEL

BLACK (DOUBLE-NET)



Features:

- Made with excellent material quality.
- Prolonged wheel life with high durability.
- Perfect for super fast cutting.

PART No.	SIZE	DIAMETER (in mm)	THICKNESS (in mm)	ARBOR HOLE	QTY. CNT.
2700	4"	107 mm	1.2 mm	16 mm	800
2747	14"	355 mm	2.5 mm	25.4 mm	40

CUT-OFF WHEEL

DOUBLE COLOR-RED + GREEN (SINGLE-NET)



Features:

- Made with excellent material quality.
- Prolonged wheel life with high durability.
- Perfect for super fast cutting.

PART No.	SIZE	DIAMETER (in mm)	THICKNESS (in mm)	ARBOR HOLE	QTY. CNT.
2706	4"	107 mm	1.2 mm	16 mm	800

CUT-OFF WHEEL

RED COLOR (SINGLE-NET)



**FIRST TIME
IN INDIA**

SUPER FAST CUTTING

PART No.	SIZE	DIAMETER (in mm)	THICKNESS (in mm)	ARBOR HOLE	QTY. CNT.
2711	4"	107 mm	1.2 mm	16 mm	800

DC GRINDING WHEEL -GREEN
(2-NET)


PART No.	SIZE	DIAMETER (in mm)	THICKNESS (in mm)	ARBOR HOLE	QTY. CNT.
2708	4"	100 mm	6 mm	16 mm	200

DC GRINDING WHEEL -GREEN
(2-NET)


PART No.	SIZE	DIAMETER (in mm)	THICKNESS (in mm)	ARBOR HOLE	QTY. CNT.
2713	5"	125 mm	6 mm	22 mm	100

DC GRINDING WHEEL -GREEN
(2-NET)


PART No.	SIZE	DIAMETER (in mm)	THICKNESS (in mm)	ARBOR HOLE	QTY. CNT.
2714	7"	175 mm	6 mm	22 mm	50

DC GRINDING WHEEL -BROWN
(2-NET)


PART No.	SIZE	DIAMETER (in mm)	THICKNESS (in mm)	ARBOR HOLE	QTY. CNT.
2709	4"	100 mm	6 mm	16 mm	200

DC GRINDING WHEEL -BLACK
(2-NET)


PART No.	SIZE	DIAMETER (in mm)	THICKNESS (in mm)	ARBOR HOLE	QTY. CNT.
2710	4"	100 mm	6 mm	16 mm	200

(U5) NON WOOVEN -RED WHEEL


PART No.	SIZE	DIAMETER (in mm)	THICKNESS (in mm)	ARBOR HOLE	QTY. CNT.
2913	4"	100 mm	15 mm	16 mm	200

4"-FELT BUFF WHEEL - FOR SS



PART# 2876

GC WHEEL - FOR STONE



PART No.	SIZE	QTY. CNT.
2808	GRIT 46	240
2809	GRIT 60	240
2810	GRIT 80	240
2811	GRIT 120	240
2812	GRIT 180	240
2813	GRIT 220	240

4"FLAP DISC



PART No.	SIZE	QTY. CNT.
2780	4"-GRIT-36	200
2781	4"-GRIT-60	200
2782	4"-GRIT-80	200
2783	4"-GRIT-120	200

4"-NON-WOVEN STONE POLISHING




PART No.	SIZE	QTY. CNT.
2920	4" GRIT-120	400
2921	4" GRIT-220	400
2922	4" GRIT-320	400
2923	4" GRIT-600	400
2924	4" GRIT-800	400

ARMATURES



FIELD COILS & STATORS




TCT SAW BLADES FOR WOOD (PEN SERIES)

PART No.	SIZE	QTY. CNT.
FOR WOOD		
2531	4 x 30T	100
2532	4 x 40T	100
2533	5 x 30T	100
2534	5 x 40T	100
2535	6 x 40T	50
2536	7 x 40T	50
2537	7 x 60T	50
2538	8 x 40T	50
2539	8 x 60T	50
2540	10 x 40T	25
2541	10 x 60T	25
2542	12 x 40T	20
2543	12 x 60T	20
2546	14 x 40T	10
2544	14 x 60T	10

PART No.	SIZE	QTY. CNT.
FOR ALUMINIUM		
2555	10 x 100T	25
2556	12 x 100T	20
2557	12 x 120T	25
2558	14 x 120T	10


EXPERT SERIES

PART No.	SIZE	QTY. CNT.
FOR WOOD		
2565	4 x 30T	100
2566	4 x 40T	100
2567	5 x 30T	100
2568	5 x 40T	100




TCT SAW BLADES (RED SERIES)

PART No.	SIZE	QTY. CNT.
FOR WOOD		
2640	4 x 12T	200
2621	4 x 30T	200
2622	4 x 40T	200
2641	5 x 12T	200
2623	5 x 30T	200
2624	5 x 40T	200
2625	6 x 40T	50
2626	7 x 40T	50
2627	7 x 60T	50


PART No.	SIZE	QTY. CNT.
FOR ALUMINIUM		
2636	10 x 100T	25
2637	12 x 100T	10
2638	14 x 120T	10

PART No.	SIZE	QTY. CNT.
FOR WOOD		
2629	8 x 60T	50
2630	10 x 40T	25
2631	10 x 60T	25
2632	12 x 40T	10
2633	12 x 60T	10
2634	14 x 40T	100
2635	14 x 60T	10



TCT SAW BLADES (SLIM SERIES)

PART No.	SIZE	QTY. CNT.
FOR WOOD		
2651	4 x 30T	200
2652	4 x 40T	200
2653	5 x 30T	200
2654	5 x 40T	200



PART No.	SIZE	MODEL	QTY. CNT.
(1-1/4UNC-450mm Length)			
2101	26mm	1 1/4 UNC	40
2102	32mm	1 1/4 UNC	40
2103	40mm	1 1/4 UNC	35
2105	51mm	1 1/4 UNC	30
2107	63mm	1 1/4 UNC	20
2108	76mm	1 1/4 UNC	15
2110	89mm	1 1/4 UNC	12
2112	102mm	1 1/4 UNC	8
2113	112mm	1 1/4 UNC	6
2115	127mm	1 1/4 UNC	5
2117	152mm	1 1/4 UNC	3
2121	168mm	1 1/4 UNC	3
2120	179mm	1 1/4 UNC	2
2123	203mm	1 1/4 UNC	2
2125	230mm	1 1/4 UNC	1
2127	255mm	1 1/4 UNC	1
2129	300mm	1 1/4 UNC	1



CORE DRILL BITS

SEGMENT FOR CORE BITS (TURBO TYPE)

PART No.	SIZE	QTY. CNT.
2185	51 mm	3000
2187	76 mm	3000
2188	102 mm	3000
2189	127 mm	2500
2190	152 mm	2500
2191	203 mm	1000
2192	230 mm	1000



DIAMOND CORE BITS (SMALL)

PART No.	SIZE
2201	6 mm
2202	8 mm
2203	10 mm
2204	12 mm
2205	14 mm
2206	16 mm
2207	20 mm
2208	26 mm
2209	30 mm



DRILL CHUCKS

PART No.	SIZE	QTY. CNT.
5800	10 x 10	50
5801	13 x 13	50
5802	10 x 13	50
5803	13 x 10	50



MAGNETIC NUT RUNNERS

PART No.	SIZE	QTY. CNT.
5810	8 x 50 mm	500
5811	8 x 65 mm	500



HIGH TORQUE BITS WITH MAGNETIC RING

PART #5805



HIGH TORQUE BITS

PART #5806



MANUAL TILE CUTTER WHEEL

PART #5799



TRIMMER BITS

PART #5815



MIXER ROD

PART No.	SIZE	QTY. CNT.
1030	FAN TYPE	25
1031	SPIRAL TYPE	10



VIBRATOR ROD

PART No.	SIZE	QTY. CNT.
5863	1.5-MTR (35mm)	10
5864	3-MTR (35mm)	10
5865	3-MTR (50mm)	10



SDS PLUS HAMMER DRILL BITS



DIAMETER :
4mm to 25mm

LENGTH :
110mm to 1000mm

SDS PLUS DRILL BITS (CROSS HEAD)



DIAMETER :
5mm to 12mm

LENGTH :
110mm to 120mm

CHISELS

SUITABLE FOR

0810T | 11e | PH65 | 2-26mm



SDS TCT HOLE SAW

SIZES : 30, 40, 50, 65, 75 & 100mm
ADAPTOR : 200/ 250/ 300/ 350/ 400



SAW CHAIN - (TIN PACK)

SIZE	PACK	PART No.	QTY. CNT.
16" Inch	METAL	3101	50
18" Inch	METAL	3105	50
22" Inch	METAL	3109	50



SAW CHAIN - BRAVE SERIES (TIN PACK)

SIZE	PACK	PART No.	QTY. CNT.
16" Inch	METAL	3117	50
18" Inch	METAL	3118	50
22" Inch	METAL	3119	50



Features:

- Made with excellent material quality.
- Prolonged wheel life with high durability.
- Perfect for grinding stainless steel, hardness steel, and cast iron.

SAW CHAIN - PLATINIUM SERIES (PREMIUM PACK)

SIZE	PACK	PART No.	QTY. CNT.
16" Inch	PVC	3126	50
18" Inch	PVC	3127	50
22" Inch	PVC	3128	50



SAW CHAIN **MULTI-PURPOSE** (PREMIUM PACK)

SIZE	PACK	PART No.	QTY. CNT.
18" Inch	PVC	3132	50



GUIDE BAR

SIZE	PART No.	QTY. CNT.
BLACK & RED SERIES		
18" Inch	3140	20
22" Inch	3146	20

SILVER SERIES		
18" Inch	3151	20
22" Inch	3152	20




BORE PISTON SET



PART #3205

CARBORATOR BRASS PIPE



PART #3225



CHAINSAW SPARE PARTS & ACCESSORIES



BRUSH CUTTER/ AGRICULTURE SPARE PARTS & ACCESSORIES



POWER TOOLS

CKT-ED-10RE

ELECTRIC DRILL

1100W
PART#8218



- CHUCK SIZE : 10mm
- VOLTAGE/FREQ : 220V/50Hz
- NO-LOAD SPEED : 0-4500 r/min

CKT-ID-13RF

IMPACT DRILL

1300W
PART#8215



- CHUCK SIZE : 13mm
- VOLTAGE/FREQ : 220V/50Hz
- NO-LOAD SPEED : 0-2900 r/min

CKT-ID-13M

IMPACT DRILL MACHINE

1250W
PART#1221



- CHUCK SIZE : 13mm
- NO-LOAD SPEED : 0-2900 r/min
- VOLTAGE/FREQ : 220V/50Hz

CKT-SD10-900

SCREWDRIVER MACHINE

900W
PART#8216



- CHUCK SIZE : 10mm
- NO-LOAD SPEED : 0-4500 r/min
- VOLTAGE/FREQ : 220V/50Hz

CKT-EM-160S

ELECTRIC MIXER

900W
PART#8220



- DISC DIA : 120mm
- NO-LOAD SPEED : 0-900 r/min
- VOLTAGE/FREQ : 220V/50Hz

CKT-EM-160F

ELECTRIC MIXER

900W
PART#8219



- DISC DIA : 120mm
- NO-LOAD SPEED : 0-900 r/min
- VOLTAGE/FREQ : 220V/50Hz

CKT-RH-20HQ

ROTARY HAMMER

1200W
PART#8223



- MAX DRILL CAPACITY : 20mm
- NO-LOAD SPEED : 0-1100 r/min
- VOLTAGE/FREQ : 220V/50Hz

CKT-RH-26HQ

ROTARY HAMMER

2100W
PART#8212



- MAX DRILL CAPACITY : 26mm
- NO-LOAD SPEED : 0-1200 r/min
- VOLTAGE/FREQ : 220V/50Hz



CKT-RDH4-26

ROTARY HAMMER

▶ 2500W
▶ PART#8213



- MAX DRILL CAPACITY : 26mm
- NO-LOAD SPEED : 0-1200 r/min
- VOLTAGE/FREQ : 220V/50Hz

CKT-DH8-2300

DEMOLITION HAMMER

▶ 2300W
▶ PART#8209



- IMPACT RATING (BPM) : 3600 r/min
- IMPACT POWER : 21 JOULES
- VOLTAGE/FREQ : 220V/50Hz

CKT-DH9-2400

DEMOLITION HAMMER

▶ 2400W
▶ PART#8207



- IMPACT RATING (BPM) : 4800 r/min
- IMPACT POWER : 21 JOULES
- VOLTAGE/FREQ : 220V/50Hz

CKT-DH12-2600

DEMOLITION HAMMER

▶ 2600W
▶ PART#8210



- IMPACT RATING (BPM) : 900-1900 r/min
- IMPACT POWER : 25-30 JOULES
- VOLTAGE/FREQ : 220V/50Hz

CKT-DH65-2400

DEMOLITION HAMMER

▶ 2400W
▶ PART#8211



- IMPACT RATING (BPM) : 1800 r/min
- IMPACT POWER : 65 JOULES
- VOLTAGE/FREQ : 220V/50Hz

PH65 HEX

CKT-CM4-1700G

MARBLE CUTTER 4"

▶ 1700W
▶ PART#8788



- DISC DIA : 110mm
- NO-LOAD SPEED : 13000 r/min
- VOLTAGE/FREQ : 220V/50Hz

CKT-CM5-2200

MARBLE CUTTER 5"

▶ 2200W
▶ PART#8205



- DISC DIA : 125mm
- NO-LOAD SPEED : 0-13000 r/min
- VOLTAGE/FREQ : 220V/50Hz

CKT-CM5-2800DP

MARBLE CUTTER 5"

▶ 2800W
▶ PART#1787



- DISC DIA : 125mm
- NO-LOAD SPEED : 0-13000 r/min
- VOLTAGE/FREQ : 220V/50Hz



CKT-AG4-1250

ANGLE GRINDER 4"

1250W
PART#1786



- DISC DIA : 100mm
- NO-LOAD SPEED : 11000 r/min
- VOLTAGE/FREQ : 220V/50Hz

CKT-AG4-1400

ANGLE GRINDER 4"

1400W
PART#8201



- DISC DIA : 110mm
- NO-LOAD SPEED : 11000 r/min
- VOLTAGE/FREQ : 220V/50Hz

CKT-AG5-1400

ANGLE GRINDER 5"

1400W
PART#1201



- DISC DIA : 125mm
- NO-LOAD SPEED : 11000 r/min
- VOLTAGE/FREQ : 220V/50Hz

CKT-AG5L-2100

ANGLE GRINDER 5"

2100W
PART#1212



- DISC DIA : 125mm
- NO-LOAD SPEED : r/min
- VOLTAGE/FREQ : 220V/50Hz

CKT-AG7-3800

ANGLE GRINDER 7"

3800W
PART#8920



- DISC DIA : 180mm
- NO-LOAD SPEED : 8400 r/min
- VOLTAGE/FREQ : 220V/50Hz

CKT-C0355-3800

CUT OFF MACHINE

3800W
PART#1788



- DISC DIA : 355mm
- MAX.CUTTING CAPACITY : 110mm
- NO-LOAD SPEED : 0-3800 r/min
- VOLTAGE/FREQ : 220V/50Hz

CKT-C0355-3600

CUT OFF MACHINE

3600W
PART#8208



- DISC DIA : 355mm
- MAX.CUTTING CAPACITY : 110mm
- NO-LOAD SPEED : 0-3800 r/min
- VOLTAGE/FREQ : 220V/50Hz

CKT-EB-1200VS

BLOWER VARIABLE

600W
PART#8222



- BLOWING RATE (R/Min) : 0-2.8M³/Min
- NO-LOAD SPEED : 0-13000 r/min
- VOLTAGE/FREQ : 220V/50Hz



CHECKMATE®
PROFESSIONAL TOOLS

CKT-HG-2400

HEAT GUN

▶ **2400W**
▶ **PART#8221**

- TEMPERATURE : 550-750°C
- AIR FLOW : 250-600L r/min
- VOLTAGE/FREQ : 220V/50Hz



CKT-EV-2600

CONCRETE VIBRATOR

▶ **2600W**
▶ **PART#8202**

- MAX.CUTTING CAPACITY : 35mm
- NO-LOAD SPEED : 4000 r/min
- VOLTAGE/FREQ : 220V/50Hz



CKT-JS-1100L

JIG SAW

▶ **1100W**
▶ **PART#8204**

- MAX.CUTTING CAPACITY : 65mm
- NO-LOAD SPEED : 0-3000 r/min
- VOLTAGE/FREQ : 220V/50Hz



CKT-PS-1200

PAINT SPRAYERS

▶ **1200W**
▶ **PART#8214**

- CONTAINER VOLUME : 800ml/min
- NO-LOAD SPEED : 33000 r/min
- VOLTAGE/FREQ : 220V/50Hz



CKT-WI-200

WELDING MACHINE

▶ **200A**
▶ **PART#8224**

- OUTPUT CURRENT RANGE : 20-200
- USABLE ELECTRODE : 1.6-4.0mm
- VOLTAGE/FREQ : 220V/50Hz



CKT-WI-250

WELDING MACHINE

▶ **250A**
▶ **PART#8225**

- OUTPUT CURRENT RANGE : 20-250
- USABLE ELECTRODE : 1.6-4.0mm
- VOLTAGE/FREQ : 220V/50Hz



CKT-WI-300

WELDING MACHINE

▶ **300A**
▶ **PART#8226**

- OUTPUT CURRENT RANGE : 20-300
- USABLE ELECTRODE : 1.6-5.0mm
- VOLTAGE/FREQ : 220V/50Hz



CKT-CW-2600

CAR WASHER

▶ **2600W**
▶ **PART#8217**

- PRESSURE : 250 BAR
- MAX FLOW : 6.0L/H
- MA WATER TEMPERATURE : 40°C
- NO-LOAD SPEED : 2850 r/min
- VOLTAGE/FREQ : 220V/50Hz





CKT-ECS22-3400

ELECTRIC CHAIN SAW

3400W
PART#8206



- GUIDE BAR LENGTH : 550mm (22")
- NO-LOAD SPEED (R/Min) : 0-4000
- VOLTAGE/FREQ : 220V/50Hz

CKT-CBL21-CD10

CORDLESS SCREWDRIVER

21V
PART#1217



BRUSHLESS

- CHUCK CAPACITY : 10mm
- BATTERY CAPACITY : 4.0Ah
- TORQUE : 50 N.m
- MAX DRIVER DIA : 10mm Steel & 15mm Wood

CKT-CBL21-AG4

CORDLESS ANGLE GRINDER

21V
PART#1218



BRUSHLESS

- DISC DIA : 100mm
- BATTERY CAPACITY : 4.0Ah
- TORQUE : 28 N.m

CKT-CBL21-WR550

CORDLESS IMPACT WRENCH

21V
PART#1220



BRUSHLESS

- CHUCK CAPACITY : 16-22mm
- BATTERY CAPACITY : 4.0Ah
- TORQUE : 600 N.m

CKT-GCS-84

GASOLINE CHAINSAW

PART#18"-1712 / 22"-1713

84CC



- ENGINE TYPE : 2 STROKE | DISPLACEMENT : 84CC
- BAR LENGTH : 18"/22" | MAX SPEED : 12500 RPM
- OIL TANK CAPACITY : 260 ml | FUEL TANK CAPACITY : 550 ml

CKT-GCS-86

GASOLINE CHAINSAW

PART#18"-1202 / 22"-1203

86CC



- ENGINE TYPE : 2 STROKE | DISPLACEMENT : 86CC
- BAR LENGTH : 18"/22" | MAX SPEED : 12500 RPM
- OIL TANK CAPACITY : 260 ml | FUEL TANK CAPACITY : 550 ml

CKT-GCS-95

GASOLINE CHAINSAW

PART#18"-1209 / 22"-1210

95CC



- ENGINE TYPE : 2 STROKE | DISPLACEMENT : 95CC
- BAR LENGTH : 18"/22" | MAX SPEED : 12500 RPM
- OIL TANK CAPACITY : 260 ml | FUEL TANK CAPACITY : 550 ml

Comming soon...



SAW CHAIN - RAPID CUTTING (TIN PACK)

SIZE	PACK	PART No.	QTY. CNT.
18" Inch	METAL	3134	50
22" Inch	METAL	3135	50



CKT-BC-4S**BRUSH CUTTER-53CC**
CHECKMATE®
 PROFESSIONAL TOOLS
**PART#3035****OUTPUT POWER : 1.45KW / 6500 RPM****DISPLACEMENT : 58CC | BLADE DIA : 255 mm****WORKING POLE LENGTH : 1650mm**
4
STROKE

POWER & GARDEN TOOLS

CKT-GCS-62**CHAINSAW MACHINE****PART#18"-3003 / 22"-3009****62CC**

- ENGINE TYPE : 2 STROKE, 1 CYLINDER
- DISPLACEMENT : 58CC • BAR LENGTH : 18"/22"
- MAX SPEED : 12800 RPM • OIL TANK CAPACITY : 0.26 Ltr
- FUEL TANK CAPACITY : 0.55 Ltr

CKT-ID-13RF**IMPACT DRILL****1100W****PART#8634**

- MAX DRILL CAPACITY : 13mm
- VOLTAGE/FREQ : 220V/50Hz
- NO-LOAD SPEED : 0-2900 r/min

CKT-EM-160SP**ELECTRIC PAINT MIXER****1400W****PART#8687**

- DISC DIAMETER : 160mm
- VOLTAGE/FREQ : 220V/50Hz
- NO-LOAD SPEED : 0-900 r/min

CKT-EM-160PF**ELECTRIC PAINT MIXER****1400W****PART#8688**

- DISC DIAMETER : 160mm
- VOLTAGE/FREQ : 220V/50Hz
- NO-LOAD SPEED : 0-900 r/min

CKT-RH-20**ROTARY HAMMER****1050W****PART#8695**

- MAX DRILL CAPACITY : 20mm
- VOLTAGE/FREQ : 220V/50Hz
- NO-LOAD SPEED : 850-3900 r/min

CKT-RH-26**ROTARY HAMMER****1600W****PART#8726**

- MAX DRILL CAPACITY : 26mm
- VOLTAGE/FREQ : 220V/50Hz
- NO-LOAD SPEED : 1100-4000 r/min

CKT-CM4-SA**MARBLE CUTTER****1350W****PART#8783**

- CHUCK DIAMETER : 110/125mm
- VOLTAGE/FREQ : 220V/50Hz
- NO-LOAD SPEED : 13000 r/min

CKT-CM4SB-HQ**MARBLE CUTTER****1650W****PART#8802**

- CHUCK DIAMETER : 100mm
- VOLTAGE/FREQ : 220V/50Hz
- NO-LOAD SPEED : 13000 r/min



CHECKMATE®
PROFESSIONAL TOOLS

POWER TOOLS

CKT-AG4-1100

ANGLE GRINDER 4"

1100W

PART#8899



- DISC DIAMETER : 100mm
- NO-LOAD SPEED : 11000 r/min
- VOLTAGE/FREQ : 220V/50Hz

CKT-AG4-1200

ANGLE GRINDER 4"

1200W

PART#8867



- DISC DIAMETER : 100mm
- NO-LOAD SPEED : 11000 r/min
- VOLTAGE/FREQ : 220V/50Hz

CKT-AG7-3400

ANGLE GRINDER 4"

3400W

PART#8916



- DISC DIAMETER : 185mm
- NO-LOAD SPEED : 8400 r/min
- VOLTAGE/FREQ : 220V/50Hz

CKT-EV-35

CONCRETE VIBRATOR

1200W

PART#9091

- VIBRATION ROD DIA : 35mm
- VOLTAGE/FREQ : 220V/50Hz
- NO-LOAD SPEED : 4000 r/min



CKT-CW-2500

CAR WASHER

2500W

PART#9444

- PRESSURE : 130 BAR
- FLOW : 420 L/H
- VOLTAGE/FREQ : 50V/60Hz



CKT-EB-1100VS

BLOWER VARIABLE

1100W

PART#9002

- WIND VOLUME : 2.3m
- VOLTAGE/FREQ : 220V/50Hz
- NO-LOAD SPEED : 0-13000 r/min





CKT-DH7-2000

DEMOLITION HAMMER

2000W

PART#8747



SDS HEX

- IMPACT RATING (BPM) : 3200mm
- VOLTAGE/FREQ : 220V/50Hz
- IMPACT POWER : 21 JOULES

CKT-DH8-2100S

DEMOLITION HAMMER

2100W

PART#8748



SDS MAX

- IMPACT RATING (BPM) : 3600mm
- VOLTAGE/FREQ : 220V/50Hz
- IMPACT POWER : 21 JOULES

CKT-DH11-2200

DEMOLITION HAMMER

2200W

PART#8765



SDS MAX

- CHISEL HOLDER : SDS-MAX
- IMPACT POWER : 25-30 JOULES
- IMPACT RATING (BPM) : 900-1900

CKT-DH65-2200

DEMOLITION HAMMER

2200W

PART#8773



- IMPACT RATING (BPM) : 1600mm
- VOLTAGE/FREQ : 220V/50Hz
- IMPACT POWER : 65 JOULES

CKT-CO355-3200

CUT OFF MACHINE

3200W

PART#8978



- DISC DIAMETER : 355mm
- VOLTAGE/FREQ : 220V/50Hz
- NO-LOAD SPEED (R/Min) : 4000

CKT-CL-CD18

CORDLESS SCREWDRIVER

16.8V

PART#9218



- TORQUE : 16-35N.m
- WIND VOLUME : 2.3m
- NO-LOAD SPEED : 0-800 r/min
- VOLTAGE/FREQ : 220V/50Hz
- MAX DRIVER DIA : 10mm STEEL, 15mm WOOD

DIAMOND SAW BLADES

SEGMENT BLADE-5"(125mm)



PART #1979

SEGMENT BLADE-6"(150mm)



PART #2001

GRANITE WALL CUTTING SPL-12SEG



PART #1852

CONTINUOUS RIM BLADE 4" (110mm)



PART #1876

SUPER THIN TURBO-4"(110mm)



PART #1915

GRANITE SPECIAL -4"(110mm)



PART #1854

CERAMIC SEGMENT BLADE 4" (110mm)



PART #1861

VETRIFIED RIM BLADE-4"(105mm)



PART #1906

FLAT CUP WHEEL (2in1)-4"(105mm)



PART #1961

CUP WHEEL CONTINUOUS RIM



PART #1941

CUP WHEEL TURBO-4"(14mm Seg Height)



PART #1942

CUP WHEEL SEGMENT-3"(80mm)



PART #1943

Coming soon...

14" SEGMENTED (GOLD SERIES)

PART#2056



BLADE DIA	14" (355mm)
BLADE TYPE	24 SEGMENT
BORE DIA	50mm
SERIES	GOLD
PART #	2056

TCT SAW BLADES FOR WOOD (GOLD SERIES)

PART#	2501	2502	2503	2504	2505	2506	2507	2508	2509	2510	2511	2512	2513
ITEM	4x30T	4x40T	5x30T	5x40T	7x40T	7x60T	8x40T	8x60T	10x40T	10x60T	12x40T	12x60T	10x100T
PCS/CTN	200	200	200	200	50	50	50	50	25	25	20	20	25



SAW CHAIN (GOLD SERIES) with METAL PACK

SIZE	ITEM	PART No.	QTY. CNT.
18" Inch	For Petrol (Metal Box Pack)	3124	50
22" Inch	For Petrol (Metal Box Pack)	3125	50



GUIDE BAR (CHAINSAW SPARE PARTS)

SIZE	PART No.	QTY. CNT.
BLACK		
18" Inch	3139	20
22" Inch	3145	20



GASOLINE CHAINSAW SPARES



PART#3204

ARMATURE HEAVY DUTY


with Thread & Glue



STATOR



Coming soon...



PTC-ED-6RE

DRILL MACHINE

350W

PART#8601



- CHUCK DIAMETER : 6mm
- VOLTAGE/FREQ : 220V/50Hz
- NO-LOAD SPEED : 0-4500 r/min

PTC-ED-10RE

DRILL MACHINE

450W

PART#8608



- CHUCK DIAMETER : 10mm
- VOLTAGE/FREQ : 220V/50Hz
- NO-LOAD SPEED : 0-4500 r/min
- DRILLING DIA : STEEL-10 & WOOD-18mm

PTC-ED-10

DRILL MACHINE

350W

PART#8607



- CHUCK DIAMETER : 10mm
- VOLTAGE/FREQ : 220V/50Hz
- NO-LOAD SPEED : 2600 r/min

PTC-ED-10VRF

DRILL MACHINE

900W

PART#8615



- CHUCK DIAMETER : 10mm
- VOLTAGE/FREQ : 220V/50Hz
- NO-LOAD SPEED : 0-2900 r/min

PTC-EID-13

IMPACT DRILL MACHINE

900W

PART#8623



- CHUCK DIAMETER : 13mm
- VOLTAGE/FREQ : 220V/50Hz
- NO-LOAD SPEED : 1800 r/min

PTC-EIDRF-13

IMPACT DRILL MACHINE

950W

PART#8624



- CHUCK DIAMETER : 13mm
- VOLTAGE/FREQ : 220V/50Hz
- NO-LOAD SPEED : 0-1800 r/min

PTC-ID-13RE

IMPACT DRILL MACHINE

650W

PART#8631



- CHUCK DIAMETER : 10mm
- VOLTAGE/FREQ : 220V/50Hz
- NO-LOAD SPEED : 0-2600 r/min

PTC-ID-13HQR

IMPACT DRILL MACHINE

1100W

PART#8636



- CHUCK DIAMETER : 13mm
- VOLTAGE/FREQ : 220V/50Hz
- NO-LOAD SPEED : 0-2900 r/min

PTC-ID-13RF

IMPACT DRILL MACHINE

1050W

PART#8633



- CHUCK DIAMETER : 13mm
- VOLTAGE/FREQ : 220V/50Hz
- NO-LOAD SPEED : 0-2800 r/min

PTC-ID-13TLK

TOOL KIT

1050W

PART#8635



- CHUCK DIAMETER : 13mm
- VOLTAGE/FREQ : 220V/50Hz
- NO-LOAD SPEED : 0-2800 r/min

SDS PLUS



POWER TOOLS

PTC-SD-10ECO

SCREWDRIVER MACHINE

350W

PART#8659



- CHUCK DIAMETER : 10mm
- VOLTAGE/FREQ : 220V/50Hz
- NO-LOAD SPEED : 0-750 r/min

PTC-SD-10H

SCREWDRIVER MACHINE

350W

PART#8660



- CHUCK DIAMETER : 10mm
- VOLTAGE/FREQ : 220V/50Hz
- NO-LOAD SPEED : 0-750 r/min

PTC-SD10-1100

SCREWDRIVER MACHINE

1100W

PART#8401



- CHUCK DIAMETER : 10mm
- NO-LOAD SPEED : 0-750 r/min
- VOLTAGE/FREQ : 220V/50Hz
- MAX DRIVER DIA : 10mm Steel, 15mm Wood

PTC-RH-20

ROTARY HAMMER

1050W

PART#8699



- MAX DRILL CAPACITY : 20mm
- VOLTAGE/FREQ : 220V/50Hz
- NO-LOAD SPEED : 850-3900 r/min

PTC-RH-26

ROTARY HAMMER

1600W

PART#8729



- MAX DRILL CAPACITY : 26mm
- VOLTAGE/FREQ : 220V/50Hz
- NO-LOAD SPEED : 1100-4000 r/min

PTC-RH-20HQ

ROTARY HAMMER

1200W

PART#8700



- MAX DRILL CAPACITY : 20mm
- VOLTAGE/FREQ : 220V/50Hz
- NO-LOAD SPEED : 1200-5300 r/min

PTC-RH-26HQ

ROTARY HAMMER

2000W

PART#8734



- MAX DRILL CAPACITY : 26mm
- VOLTAGE/FREQ : 220V/50Hz
- NO-LOAD SPEED : 1100-4000 r/min

PTC-DH6-810S

DEMOLITION HAMMER

1400W

PART#8742



- IMPACT RATING (BPM) : 3200
- VOLTAGE/FREQ : 220V/50Hz
- IMPACT POWER : 21JOULES

PTC-DH7-1900

DEMOLITION HAMMER

1900W

PART#8745

SDS HEX



- IMPACT RATING (BPM) : 3200
- VOLTAGE/FREQ : 220V/50Hz
- IMPACT POWER : 21JOULES

PTC-DH11-1900S

DEMOLITION HAMMER

(11E Model)

1900W

PART#8744

SDS MAX



- IMPACT RATING (BPM) : 3200
- VOLTAGE/FREQ : 220V/50Hz
- IMPACT POWER : 21JOULES

PTC-DH11-2200

DEMOLITION HAMMER

2200W

PART#8764



- CHISEL HOLDER : SDS-MAX
- IMPACT POWER : 25-30 JOULES
- IMPACT RATING (BPM) : 900-1900

PTC-DH-65HD

DEMOLITION HAMMER

1400W

PART#8772



- IMPACT RATING (BPM) : 1400
- VOLTAGE/FREQ : 220V/50Hz
- IMPACT POWER : 65JOULES

PTC-EM-160SP

ELECTRIC PAINT MIXER

1050W

PART#8686



- DISC DIAMETER : 160mm
- VOLTAGE/FREQ : 220V/50Hz
- NO-LOAD SPEED : 780 r/min

PTC-EM-160PF

ELECTRIC PAINT MIXER

1050W

PART#8685



- DISC DIAMETER : 160mm
- VOLTAGE/FREQ : 220V/50Hz
- NO-LOAD SPEED : 780 r/min

PTC-CM4-SA

MARBLE CUTTER 4"

1250W

PART#8785



- DISC DIAMETER : 110/125mm
- VOLTAGE/FREQ : 220V/50Hz
- NO-LOAD SPEED : 13000 r/min

PTC-CM4SA-HQ

MARBLE CUTTER 4"

1450W

PART#8787



- DISC DIAMETER : 110/125mm
- VOLTAGE/FREQ : 220V/50Hz
- NO-LOAD SPEED : 12000 r/min

PTC-CM4-SB

MARBLE CUTTER 4"

1350W

PART#8800



- DISC DIAMETER : 110mm
- VOLTAGE/FREQ : 220V/50Hz
- NO-LOAD SPEED : 11000 r/min

PTC-CM5-1700

MARBLE CUTTER 5"

1700W

PART#8823



- DISC DIAMETER : 125mm
- VOLTAGE/FREQ : 220V/50Hz
- NO-LOAD SPEED : 12000 r/min

PTC-CM5-1700WP

MARBLE CUTTER

1700W

PART#8824

Special Base Plate
for Wood Cutting



- DISC DIAMETER : 125mm
- VOLTAGE/FREQ : 220V/50Hz
- NO-LOAD SPEED : 11000 r/min

PTC-AG-801

MARBLE CUTTER

4"

950W

PART#8882



- DISC DIAMETER : 100mm
- VOLTAGE/FREQ : 220V/50Hz
- NO-LOAD SPEED : 11000 r/min

PTC-AG6-100

MARBLE CUTTER

4"

850W

PART#8895



- DISC DIAMETER : 100mm
- VOLTAGE/FREQ : 220V/50Hz
- NO-LOAD SPEED : 11000 r/min

PTC-AG-1050

MARBLE CUTTER

4"

1050W

PART#8879



- DISC DIAMETER : 100mm
- VOLTAGE/FREQ : 220V/50Hz
- NO-LOAD SPEED : 11000 r/min

PTC-AG4-1150

MARBLE CUTTER

4"

1150W

PART#8901



- DISC DIAMETER : 100mm
- NO-LOAD SPEED : 0-11000 r/min
- VOLTAGE/FREQ : 220V/50Hz

PTC-AG4-1250

MARBLE CUTTER

4"

1250W

PART#8900



- DISC DIAMETER : 100mm
- VOLTAGE/FREQ : 220V/50Hz
- NO-LOAD SPEED : 11000 r/min

PTC-AG5-1600

MARBLE CUTTER

5"

1600W

PART#8908



- DISC DIAMETER : 125mm
- VOLTAGE/FREQ : 220V/50Hz
- NO-LOAD SPEED : 12000 r/min

PTC-DG02-25

DIE GRINDER

900W

PART#8927



- DISC DIAMETER : 25mm
- VOLTAGE/FREQ : 220V/50Hz
- NO-LOAD SPEED : 25000 r/min

PTC-CO-2-355

CUT OFF MACHINE

2300W

PART#8977



- DISC DIAMETER : 355mm
- VOLTAGE/FREQ : 220V/50Hz
- NO-LOAD SPEED : 0-3800 r/min
- MAX CUTTING CAPACITY : 110mm

Coming soon...

PTC-EBC-40

ELECTRIC BLOWER

750W

PART#9000



- BLOWING RATE : 0-2.8M³/Min
- VOLTAGE/FREQ : 220V/50Hz
- NO-LOAD SPEED : 16000 r/min

PTC-EV-35

CONCRETE VIBRATOR

1250W

PART#9088



1.5mtr NEEDLE

- RATED POWER INPUT(W) : 1100mm
- VOLTAGE/FREQ : 220V/50Hz
- NO-LOAD SPEED : 4000 r/min

PTC-HG-2000

HOT AIR GUN

2000W

PART#9014



- TEMPERATURE : 230-6000 DEGREE C
- VOLTAGE/FREQ : 220V/50Hz

PTC-EP-800

ELECTRIC PLANNER

800W

PART#9073



- MAX PLANING DEPTH : 82mm
- MAX PLANING WIDTH : 1mm
- NO-LOAD SPEED : 16000 r/min
- VOLTAGE/FREQ : 220V/50Hz

ELECTRIC ROUTER

PTC-ER12-2500VS

2500W

PART#9057



- MAX CUTTING DEPTH : 8-12mm
- NO-LOAD SPEED : 0-23000 r/min

PTC-CW-2400

CAR WASHER

2400W

PART#9443



- PRESSURE : 150 BAR
- VOLTAGE/FREQ : 220V/50Hz
- NO-LOAD SPEED : 3800 r/min

PTC-CL-CD12

CORDLESS SCREW DRIVER

12V

PART#9191



- MAX DRIVER DIAMETER : 10 & 15mm
- CHARGER OUTPUT : 10.8V-12.8V
- NO-LOAD SPEED : 0-350/0-1400 r/min

PTC-CBL21-AG4

CORDLESS ANGLE GRINDER

12V

PART#1205



BRUSHLESS

- DISC DIA : 100mm
- CHARGER OUTPUT : 21V
- NO-LOAD SPEED : 2300/ 6500 r/min

PTC-CBL21-WR400

CORDLESS IMPACT WRENCH

21V

PART#9431



BRUSHLESS

- MAX DRIVER DIA : 12.7mm (½)
- TORQUE : 400 N.m
- NO-LOAD SPEED : 2400 r/min

PTC-CBL21-WR600

CORDLESS IMPACT WRENCH

21V

PART#1206



BRUSHLESS

- MAX DRIVER DIA : 12.7mm (½)
- TORQUE : 600 N.m
- NO-LOAD SPEED : 2400 r/min



PTC-GCS-85
GASOLINE CHAINSAW
85CC

PART#18"-3027 / 22"-3028



ENGINE TYPE : 2 STROKE, 1CYLINDER | DISPLACEMENT : 85CC
BAR LENGTH : 18"/22" | MAX SPEED : 12500 RPM
OIL TANK CAPACITY : 0.26 Ltr | FUEL TANK CAPACITY : 0.55 Ltr

PTC-GCS-84
GASOLINE CHAINSAW
84CC

PART#18"-1207 / 22"-1208



ENGINE TYPE : 2 STROKE | DISPLACEMENT : 84CC
BAR LENGTH : 18"/22" | NO-LOAD SPEED : 12500 RPM
OIL TANK CAPACITY : 260ml | FUEL TANK CAPACITY : 550ml

PTC-GCS-65
GASOLINE CHAINSAW
65CC

PART#18"-3020 / 22"-3014



ENGINE TYPE : 2 STROKE, 1CYLINDER | DISPLACEMENT : 65CC
BAR LENGTH : 18"/22" | MAX SPEED : 12500 RPM
OIL TANK CAPACITY : 0.26 Ltr | FUEL TANK CAPACITY : 0.55 Ltr

PTC-GCS-58
GASOLINE CHAINSAW
58CC

PART#18"-3002 / 22"-3008



ENGINE TYPE : 2 STROKE, 1CYLINDER | DISPLACEMENT : 58CC
BAR LENGTH : 18"/22" | MAX SPEED : 12500 RPM
OIL TANK CAPACITY : 0.26 Ltr | FUEL TANK CAPACITY : 0.55 Ltr

PTC-BC-52H
BRUSH CUTTER
52CC

PART# 3046



OUTPUT POWER : 1.45KW/ 6500RPM
DISPLACEMENT : 52CC | BLADE DIAMETER : 255mm
WORKING POLE LENGTH : 1650mm

TCT SAW BLADE



PART No.	SIZE	QTY. CNT.
FOR WOOD		
2590	4 x 30T	200
2591	4 x 40T	200
2592	5 x 30T	200
2593	5 x 40T	200

DIAMOND SAW BLADE

4" 9SEGMENT

PART#1801



PART No.	SIZE	QTY. CNT.
FOR WOOD		
1801	4" 9SEGMENT - Super Fast Cutting Granite Upto 300 feet	200

CUT-OFF WHEEL-GREEN (SINGLE-NET)

PART NO	SIZE	DIAMETER	THICKNESS (IN mm)	ARBOR HOLE	CTN PKG	GREEN
2950	4"	107mm	1.2mm	16mm	800	SINGLE
2958	14"	355mm	2.5mm	25.4mm	800	



GUIDE BAR

PART No.	SIZE	QTY. CNT.
GRAY BLACK SERIES		
3154	16" Inch	20
3143	18" Inch	20
3153	22" Inch	20



SAW CHAIN (GOLD SERIES)

PART No.	ITEM	SIZE	QTY. CNT.
3120	For Electric	16" Inch	50
3121	For Petrol	18" Inch	50
3122	For Petrol	22" Inch	50



SAW CHAIN

PART No.	ITEM	SIZE	QTY. CNT.
3102	For Electric	16" Inch	50
3106	For Petrol	18" Inch	50
3110	For Petrol	22" Inch	50



CHAIN SAW - CHAIN FILE

4.0 / 4.5 / 4.8 mm



CHAINSAW SPARE PARTS-58CC

PART #3206



CARBURETOR



CHISELS FOR BREAKER MACHINE

SUITABLE

0810T | 11e

PH65 | 2-26mm





IRON KING®
Quality tools

POWER TOOLS

IK-BC-52

BRUSH CUTTER

52CC
PART#3033



- IMPACT RATING (BPM) : 1.45KW/6500RPM
- BLADE DIAMETER : 255mm
- WORKING POLE LENGTH : 1650mm

IK-AG-1050

ANGLE GRINDER

1050W
PART#8883



- DISC DIAMETER : 100mm
- NO-LOAD SPEED : 11000 r/min
- VOLTAGE/FREQ : 220V/50Hz

IK-AG-801

ANGLE GRINDER

950W
PART#8880



- DISC DIAMETER : 100mm
- NO-LOAD SPEED : 11000 r/min
- VOLTAGE/FREQ : 220V/50Hz

IK-RH-20

ROTARY HAMMER

650W
PART#8696



- MAX DRILL CAPACITY : 20mm
- VOLTAGE/FREQ : 220V/50Hz
- NO-LOAD SPEED : 850-3900 r/min

IK-RH-26

ROTARY HAMMER

1200W
PART#8727



- MAX DRILL CAPACITY : 26mm
- VOLTAGE/FREQ : 220V/50Hz
- NO-LOAD SPEED : 1100-4000 r/min

IK-DH6-810

DEMOLITION HAMMER

1600W
PART#8741



- IMPACT RATING (BPM) : 2800
- IMPACT POWER : 20 JOULES
- VOLTAGE/FREQ : 220V/50Hz

IK-CD-12H

CORDLESS SCREWDRIVER

12V
PART#9215



- MAX DRIVER DIA : 10mm Steel, 15mm Wood
- CHARGER OUTPUT : 10.8V-12.8V
- NO-LOAD SPEED : 0-350/0-1400 r/min

Coming soon...

IK-GCS-86 / GASOLINE CHAINSAW

86CC

**METAL
SERIES**

**SIZE : 18"-PART#1714
22"-PART#1715**



- ENGINE TYPE : 2 STROKE
- BAR LENGTH : 18" / 22"
- MAX SPEED : 12500 RPM
- OIL & FUEL TANK CAPACITY : 260ml (OIL) & 550ml (FUEL)

IK-GCS-18E/ 22E GASOLINE CHAINSAW

58CC

**eco
SERIES**

**SIZE : 18"-PART#3015
22"-PART#3016**



- ENGINE TYPE : 2 STROKE, 1 CYLINDER
- BAR LENGTH : 18" / 22"
- MAX SPEED : 12500 RPM
- OIL & FUEL TANK CAPACITY : 0.26 (OIL) & 0.55 LTR (FUEL)

GUIDE BAR

SIZE	PART No.	QTY. CNT.
BLACK (NORMAL SIZE NOSE)		
18" Inch	3150	20



SAW CHAIN-(METAL BOX PACKING)

SIZE	ITEM	PART No.	QTY. CNT.
16" Inch	Metal Box Pack	3116	50
18" Inch	Metal Box Pack	3104	50
22" Inch	Metal Box Pack	3108	50



SAW CHAIN

SIZE	ITEM	PART No.	QTY. CNT.
18" Inch	Blister Pack	3130	50
22" Inch	Blister Pack	3131	50



SPARE PARTS FOR POWER TOOLS

1. A/B WASHER - Suitable for



2. SPINDLE - Suitable for



3. SPANNER - Suitable for



4. 0810 SPARE PARTS



5. PLASTIC PARTS (Motor Housing & Handle) - Suitable for



SPARE PARTS FOR POWER TOOLS

6. GEARBOX & ALUMINIUM PARTS - Suitable for



7. GEAR & PINION - Suitable for



8. SWITCH - Suitable for




9. ORING & CABLE



SPARE PARTS FOR POWER TOOLS

10. GBH2-20 Spare Parts



11. GBH2-26 Spare Parts



12. Other Accessories



13. Carbon holders



14. Carbon Caps





POWERMATIC®
High quality tools



CHECKMATE®
PROFESSIONAL TOOLS



IRON KING
Quality tools



Authorized Channel Partners



CHENNAI

Address:- Old No 158 New No. 325, Linghi Chetty Street, Channi-600001.

Branch (Sriperumbudur):- 29, Panjalpettu Village, Chennai Bangalore Highway, Sriperumbudur, Tamilnadu-602105

Email:- info@madrastools.net

Phone:- +91-98401-79451, +91- 80158-44478

GST No:- 33AAAPN9529P1Z6

MSME:- UDYAM-TN-02-0054132

PUNE

Address:- Shop No 2, 1045, Vishwashanti Building, Raviwar Peth, Pune - 411002

Branch (Talegaon):- Shop No: 1,2,3,4 Block Sector, Katavi Distric, Talegaon Dabhade, Pune - 450506

Email:- madrastoolspune@gmail.com

Phone:- +91-84464-47152, +91- 98404-22553

GST No:- 27EVSPM6059N1Z6

MSME:- UDYAM-MH-26-0345577